

ISSN 2518-1491 (Online),
ISSN 2224-5286 (Print)

ҚАЗАҚСТАН РЕСПУБЛИКАСЫ
ҰЛТТЫҚ ҒЫЛЫМ АКАДЕМИЯСЫНЫҢ

Х А Б А Р Л А Р Ы

ИЗВЕСТИЯ

НАЦИОНАЛЬНОЙ АКАДЕМИИ НАУК
РЕСПУБЛИКИ КАЗАХСТАН

NEWS

OF THE ACADEMY OF SCIENCES
OF THE REPUBLIC OF KAZAKHSTAN

**ХИМИЯ ЖӘНЕ ТЕХНОЛОГИЯ
СЕРИЯСЫ**

◆
СЕРИЯ
ХИМИИ И ТЕХНОЛОГИИ
◆
SERIES
CHEMISTRY AND TECHNOLOGY

1 (427)

**ҚАҢТАР – АҚПАН 2018 ж.
ЯНВАРЬ – ФЕВРАЛЬ 2018 г.
JANUARY – FEBRUARY 2018**

1947 ЖЫЛДЫҢ ҚАҢТАР АЙЫНАН ШЫҒА БАСТАҒАН
ИЗДАЕТСЯ С ЯНВАРЯ 1947 ГОДА
PUBLISHED SINCE JANUARY 1947

**ЖЫЛЫНА 6 РЕТ ШЫҒАДЫ
ВЫХОДИТ 6 РАЗ В ГОД
PUBLISHED 6 TIMES A YEAR**

АЛМАТЫ, ҚР ҰФА
АЛМАТЫ, НАН РК
ALMATY, NAS RK

NAS RK is pleased to announce that News of NAS RK. Series of chemistry and technologies scientific journal has been accepted for indexing in the Emerging Sources Citation Index, a new edition of Web of Science. Content in this index is under consideration by Clarivate Analytics to be accepted in the Science Citation Index Expanded, the Social Sciences Citation Index, and the Arts & Humanities Citation Index. The quality and depth of content Web of Science offers to researchers, authors, publishers, and institutions sets it apart from other research databases. The inclusion of News of NAS RK. Series of chemistry and technologies in the Emerging Sources Citation Index demonstrates our dedication to providing the most relevant and influential content of chemical sciences to our community.

Қазақстан Республикасы Ұлттық ғылым академиясы "ҚР ҰҒА Хабарлары. Химия және технология сериясы" ғылыми журналының Web of Science-тің жаңаланған нұсқасы Emerging Sources Citation Index-те индекстелуге қабылданғанын хабарлайды. Бұл индекстелу барысында Clarivate Analytics компаниясы журналды одан әрі the Science Citation Index Expanded, the Social Sciences Citation Index және the Arts & Humanities Citation Index-ке қабылдау мәселесін қарастыруды. Web of Science зерттеушілер, авторлар, баспашилар мен мекемелерге контент тереңдігі мен сапасын ұсынады. ҚР ҰҒА Хабарлары. Химия және технология сериясы Emerging Sources Citation Index-ке енүі біздің қоғамдастық үшін ең өзекті және беделді химиялық ғылымдар бойынша контентке адалдығымызды білдіреді.

НАН РК сообщает, что научный журнал «Известия НАН РК. Серия химии и технологий» был принят для индексирования в Emerging Sources Citation Index, обновленной версии Web of Science. Содержание в этом индексировании находится в стадии рассмотрения компанией Clarivate Analytics для дальнейшего принятия журнала в the Science Citation Index Expanded, the Social Sciences Citation Index и the Arts & Humanities Citation Index. Web of Science предлагает качество и глубину контента для исследователей, авторов, издателей и учреждений. Включение Известия НАН РК в Emerging Sources Citation Index демонстрирует нашу приверженность к наиболее актуальному и влиятельному контенту по химическим наукам для нашего сообщества.

Бас редакторы
х.ғ.д., проф., ҚР ҮҒА академигі **М.Ж. Жұрынов**

Редакция алқасы:

Ағабеков В.Е. проф., академик (Белорус)
Волков С.В. проф., академик (Украина)
Воротынцев М.А. проф., академик (Ресей)
Газалиев А.М. проф., академик (Қазақстан)
Ергожин Е.Е. проф., академик (Қазақстан)
Жармағамбетова А.К. проф. (Қазақстан), бас ред. орынбасары
Жоробекова Ш.Ж. проф., академик (Қырғыстан)
Итқұлова Ш.С. проф. (Қазақстан)
Манташян А.А. проф., академик (Армения)
Пралиев К.Д. проф., академик (Қазақстан)
Баешов А.Б. проф., академик (Қазақстан)
Бұркітбаев М.М. проф., академик (Қазақстан)
Джусипбеков У.Ж. проф. корр.-мүшесі (Қазақстан)
Молдахметов М.З. проф., академик (Қазақстан)
Мансуров З.А. проф. (Қазақстан)
Наурызбаев М.К. проф. (Қазақстан)
Рудик В. проф., академик (Молдова)
Рахимов К.Д. проф. академик (Қазақстан)
Стрельцов Е. проф. (Белорус)
Тәшімов Л.Т. проф., академик (Қазақстан)
Тодераш И. проф., академик (Молдова)
Халиков Д.Х. проф., академик (Тәжікстан)
Фарзалиев В. проф., академик (Әзірбайжан)

«ҚР ҮҒА Хабарлары. Химия және технология сериясы».

ISSN 2518-1491 (Online),

ISSN 2224-5286 (Print)

Меншіктенуші: «Қазақстан Республикасының Үлттық ғылым академиясы» Республикалық қоғамдық бірлестігі (Алматы қ.)

Қазақстан республикасының Мәдениет пен ақпарат министрлігінің Ақпарат және мұрағат комитетінде 30.04.2010 ж. берілген №1089-Ж мерзімдік басылым тіркеуіне қойылу туралы куәлік

Мерзімділігі: жылдан 6 рет.

Тиражы: 300 дана.

Редакцияның мекенжайы: 050010, Алматы қ., Шевченко көш., 28, 219 бөл., 220, тел.: 272-13-19, 272-13-18,
www.nauka-nanrk.kz / chemistry-technology.kz

© Қазақстан Республикасының Үлттық ғылым академиясы, 2018

Типографияның мекенжайы: «Аруна» ЖК, Алматы қ., Муратбаева көш., 75.

Г л а в н ы й р е д а к т о р
д.х.н., проф., академик НАН РК **М. Ж. Журинов**

Р е д а к ц и о н на я к о л л е г и я:

Агабеков В.Е. проф., академик (Беларусь)
Волков С.В. проф., академик (Украина)
Воротынцев М.А. проф., академик (Россия)
Газалиев А.М. проф., академик (Казахстан)
Ергожин Е.Е. проф., академик (Казахстан)
Жармагамбетова А.К. проф. (Казахстан), зам. гл. ред.
Жоробекова Ш.Ж. проф., академик (Кыргызстан)
Иткулова Ш.С. проф. (Казахстан)
Манташян А.А. проф., академик (Армения)
Пралиев К.Д. проф., академик (Казахстан)
Баешов А.Б. проф., академик (Казахстан)
Буркитбаев М.М. проф., академик (Казахстан)
Джусипбеков У.Ж. проф. чл.-корр. (Казахстан)
Мулдахметов М.З. проф., академик (Казахстан)
Мансуров З.А. проф. (Казахстан)
Наурызбаев М.К. проф. (Казахстан)
Рудик В. проф., академик (Молдова)
Рахимов К.Д. проф. академик (Казахстан)
Стрельцов Е. проф. (Беларусь)
Ташимов Л.Т. проф., академик (Казахстан)
Тодераш И. проф., академик (Молдова)
Халиков Д.Х. проф., академик (Таджикистан)
Фарзалиев В. проф., академик (Азербайджан)

«Известия НАН РК. Серия химии и технологии».

ISSN 2518-1491 (Online),

ISSN 2224-5286 (Print)

Собственник: Республиканское общественное объединение «Национальная академия наук Республики Казахстан» (г. Алматы)

Свидетельство о постановке на учет периодического печатного издания в Комитете информации и архивов Министерства культуры и информации Республики Казахстан №10893-Ж, выданное 30.04.2010 г.

Периодичность: 6 раз в год

Тираж: 300 экземпляров

Адрес редакции: 050010, г. Алматы, ул. Шевченко, 28, ком. 219, 220, тел. 272-13-19, 272-13-18,
<http://nauka-nanrk.kz> / chemistry-technology.kz

© Национальная академия наук Республики Казахстан, 2018

Адрес редакции: 050100, г. Алматы, ул. Кунаева, 142,
Институт органического катализа и электрохимии им. Д. В. Сокольского,
каб. 310, тел. 291-62-80, факс 291-57-22, e-mail:orgcat@nursat.kz

Адрес типографии: ИП «Аруна», г. Алматы, ул. Муратбаева, 75

Editor in chief
doctor of chemistry, professor, academician of NAS RK **M.Zh. Zhurinov**

Editorial board:

Agabekov V.Ye. prof., academician (Belarus)
Volkov S.V. prof., academician (Ukraine)
Vorotyntsev M.A. prof., academician (Russia)
Gazaliyev A.M. prof., academician (Kazakhstan)
Yergozhin Ye.Ye. prof., academician (Kazakhstan)
Zharmagambetova A.K. prof. (Kazakhstan), deputy editor in chief
Zhorobekova Sh.Zh. prof., academician (Kyrgyzstan)
Itkulova Sh.S. prof. (Kazakhstan)
Mantashyan A.A. prof., academician (Armenia)
Praliyev K.D. prof., academician (Kazakhstan)
Bayeshov A.B. prof., academician (Kazakhstan)
Burkitbayev M.M. prof., academician (Kazakhstan)
Dzhusipbekov U.Zh. prof., corr. member (Kazakhstan)
Muldakhmetov M.Z. prof., academician (Kazakhstan)
Mansurov Z.A. prof. (Kazakhstan)
Nauryzbayev M.K. prof. (Kazakhstan)
Rudik V. prof., academician (Moldova)
Rakhimov K.D. prof., academician (Kazakhstan)
Streltsov Ye. prof. (Belarus)
Tashimov L.T. prof., academician (Kazakhstan)
Toderash I. prof., academician (Moldova)
Khalikov D.Kh. prof., academician (Tadzhikistan)
Farzaliyev V. prof., academician (Azerbaijan)

News of the National Academy of Sciences of the Republic of Kazakhstan. Series of chemistry and technology.
ISSN 2518-1491 (Online),
ISSN 2224-5286 (Print)

Owner: RPA "National Academy of Sciences of the Republic of Kazakhstan" (Almaty)
The certificate of registration of a periodic printed publication in the Committee of Information and Archives of the Ministry of Culture and Information of the Republic of Kazakhstan N 10893-Ж, issued 30.04.2010

Periodicity: 6 times a year

Circulation: 300 copies

Editorial address: 28, Shevchenko str., of. 219, 220, Almaty, 050010, tel. 272-13-19, 272-13-18,
<http://nauka-nanrk.kz> / chemistry-technology.kz

© National Academy of Sciences of the Republic of Kazakhstan, 2018

Editorial address: Institute of Organic Catalysis and Electrochemistry named after D. V. Sokolsky
142, Kunayev str., of. 310, Almaty, 050100, tel. 291-62-80, fax 291-57-22,
e-mail: orgeat@nursat.kz

Address of printing house: ST "Aruna", 75, Muratbayev str, Almaty

NEWS

OF THE NATIONAL ACADEMY OF SCIENCES OF THE REPUBLIC OF KAZAKHSTAN

SERIES CHEMISTRY AND TECHNOLOGY

ISSN 2224-5286

Volume 1, Number 427 (2018), 25 – 30

UDC 66.02.071.7

D.K. Zhumadullaev¹, A.A.Yeshzhanov¹, A.A. Volnenko¹, A.E. Levдanskiy²¹M. Auezov South Kazakhstan State University, Shymkent, Kazakhstan;²Belorussian State Technological University, Minsk, Belarus

e.mail: nii_mm@mail.ru

**COMMON APPROACH TO THE CALCULATION
OF HYDRAULIC RESISTANCE OF A TUBE BANK OF CONTACT
AND SURFACE HEAT EXCHANGERS**

Abstract. Heat and mass transfer processes and apparatus are widely used at the enterprises of chemical, oil refining, petrochemical, gas processing, metallurgical, food, chemical-pharmaceutical and energy industries in Kazakhstan, as well as in the agro-industrial complex, building materials production, dust and gas collection systems.

The existing designs are being constantly modernized, with the new ones being created. The known methods of heat and mass transfer intensification are the operating and the design ones. As the research has shown, the most promising method of design intensification is the method, using the laws of vortex interaction of flows. Due to the scientifically substantiated choice of distances between the turbulence creating elements, depending on their shape and size, it is possible to change the phase interaction modes at a constant flow rate or to improve the mass and heat transfer characteristics due to the vortex mixing within a single phase.

There has been done the analysis of the known data on streamlining around the packing elements, arranged along and across the flow, with the calculated dependences given for determination of the vortex interaction degree in the vertical and radial directions. On the basis of the laws of interaction of vortices, being formed during streamlining around regularly arranged packing elements, there has been created a class of apparatus with different types of regular packing.

The established regularities and calculated dependencies have been used in the common approach to the calculation of hydraulic resistance of contact heat and mass transfer and surface heat exchange apparatus.

Key words: regular packing, vortices, vertical pitch, radial pitch, in-phase operation, vortex interaction degree, hydraulic resistance, contact apparatus, surface apparatus.

Introduction. Heat and mass transfer processes and apparatus are widely used at the enterprises of chemical, oil refining, petrochemical, gas processing, metallurgical, food, chemical-pharmaceutical and energy industries in Kazakhstan, as well as in the agro-industrial complex, building materials production, dust and gas collection systems. However, a large variety of applied designs does not always meet the production requirements. One of the main reasons of the iridic and unprofitable work is that the technology and technique applied have high material and energy indices. The latter index is of great importance under modern conditions of market economy.

According to [1], when creating the new technique and technology, it is necessary to proceed from the promising directions of scientific and design work in the specific field of knowledge with taking into account the real conditions and requirements to the operation and manufacturing of the design. Besides, when predicting the appearance of the designed object, it is necessary to proceed from the assessment of positive and negative features of the known analogues.

There are two approaches to the heat and mass transfer intensification: the operating and the design ones.

In the first one the key parameter is the flow rate increase. This direction promoted the creation of co-current flow motion apparatus, which has caused the sharp and unjustified increase in energy costs. In recent years in Kazakhstan there are being carried out the studies [2,3] for purposive control of physical and chemical properties of interacting phases to increase the efficiency of heat and mass transfer processes.

The key parameters of the design approach are the contact device's size, shape and arrangement of elements. This direction has been first developed in the scientific school of the South-Kazakhstan State University named after M.O.Auezov. It is based on the scientific discoveries [4,5]. It is a promising method of intensifying the heat and mass transfer and gas-cleaning apparatuses. Thus, it appeared that due to the scientifically substantiated choice of distances between the turbulence creating elements, depending on their shape and size, it is possible to change the phase interaction modes at a constant flow rate. The example of realizing this task is the created class of apparatus with a regular movable packing. Such devices out-perform greatly the widely applied designs of heat and mass transfer apparatus because of low power capacity and high efficiency of the ongoing processes due to the fact that they are based on the principle of creating the in-phase operation of interacting phases.

Research methods. To perform the studies of hydraulic resistance, the method of direct measurement was used, with applying the well-type manometer and the micro manometer.

Research results. Within the work, carried out by us, the research have been performed the studies of hydraulic resistance (ΔP) across the tube bank of regular structure, depending on the operating and design parameters, which are compared with the data, received in papers [1,6,7]. Depending on the gas flowrate, there have been determined three hydrodynamic modes: film-dropping, dropping (of a developed turbulence) and splash carrying away modes.

The results of studies of hydraulic resistance, depending on the pitches of tube arrangement in the vertical and radial directions, are given in Figures 1 and 2.




Figure 1 – Dependence of hydraulic resistance ΔP on the pitches of tube arrangement in the vertical direction t_b/B




Figure 2 – Dependence of hydraulic resistance ΔP on the pitches of tube arrangement in the radial direction t_p / ϵ

As it can be seen from Figure 1, when changing the pitches of tube arrangement in the vertical direction t_p/d from 2 to 5, the curve has two extrema on $t_p/d=2$ and 4. At these pitch values there is a decrease in the values of ΔP .

When changing the pitches of tube arrangement in the radial direction t_p/d from 1.5 to 2 (Figure 2), the values of hydraulic resistance decrease sharply, and after $t_p/d = 2$ this decrease is not great. The explanation for this is as follows.

In papers [1,8,9-11] the vortex interaction mechanisms have been studied in the layer of a ball packing, prismatic packing elements and plates. It is known that behind the spherical bodies there are formed the toroidal vortices, and their separation occurs symmetrically. Behind the plates, prismatic bodies with a round, square, x-shaped, triangular and other section there is a non-symmetrical separation of vortices. Unlike the vortex trail, generated behind the sphere, having a period of motion, the trace behind the plates and prismatic bodies has additionally a half-period. In the result of this, the packing elements, arranged with a pitch half less than in the symmetrical separation, will form vortices simultaneously.

To determine the degree of interaction of vortices, formed behind the packing elements, arranged along the way of the flow motion with a pitch t_p , there is derived an equation [1,8]:

$$\theta_\epsilon = 0,85 + 0,15 \sin \left[\frac{\pi}{2} \left(4 \frac{t_\epsilon \cdot S \ell}{m_k \cdot \epsilon} + 1 \right) \right]. \quad (1)$$

By processing the results of studies of hydrodynamic parameters and the analysis of data, presented in papers [1,8,12-14], we have derived the equations to determine m_k :

$$m_k = c(1 - e^{-t_b/b}), \quad (2)$$

where c – the coefficient, found by the processing of experimental data of hydrodynamic and mass transfer characteristics (for example, for balls $c=0,868$; cylinders $c=0,487$; rotating plate elements of a round shape $c=0,54$, of a square shape $c=0,326$).

The Strouhal number $S\ell$, included in equation (1), set up a close relationship between the vortex separation frequency f , flow rate W_r and body width b , and within a certain range of Reynolds numbers it is a constant value, depending only on the geometric shape of the streamlined body. For balls $S\ell = 0,183$, for cylinders $S\ell = 0,2$, for plates $S\ell = 0,137 \div 0,157$.

The importance of considering the influence of the pitch of the stream lined solid bodies' arrangement nearby across the streamlined flow (t_p) is marked in papers [1,8,11,15,16]. In paper [5] there is determined a certain critical distance between solid bodies, the excess of which results in the formation of vortices with a frequency, depending on the characteristic size of streamlined bodies. The arrangement of solid bodies at a distance less than the critical one results in the fact that the vortex separation frequency is determined not by the size of streamlined bodies, but by the size of a clearance, formed by the elements, adjacent in the transverse direction. The smaller the gap, the greater the frequency of vortex formation and separation. The growing number of vortices, generated with small clearance values causes the considerable consumption of flow energy.

According to [5,8], the bodies, arranged in a line, perpendicularly to the streamlined flow, initiate the generation of vortices of the size λ . For the bodies, arranged discretely in a line, perpendicularly to the streamlined flow, there are possible two cases: in the first one the size and frequency of vortices are determined by the body's width ($att_p \geq 2d_p, \lambda = d_p$), while in the second one - by the size of clearance between the bodies ($att_p < 2d_p, \lambda = t_p - d_p$).

From the condition of parallel vertical jets interaction it follows that the coefficient, characterizing the degree of vortex interaction in the radial direction, with taking into account the change in the vortex formation frequency, θ_p can be determined by the formula:

$$\theta_p = \frac{t_p - \lambda}{t_p - d_p} \quad (3)$$

Among the devices with regular arrangements of packing elements there researchers' attention is attracted by the apparatus with a tubular packing. The particularity of the developed and studied design of the apparatus with a tubular packing of regular structure is that it enables to regulate the heat exchange process directly in the contact zone during the supply of a heat transfer fluid to the tubes. The contact reoccurs through the walls of tubes, and the heat transfer fluid's movement does not affect the composition of the gas-liquid layer in the apparatus.

The apparatus with a tubular packing of regular structure belongs to a large group of direct contact type heat exchange apparatuses.

The flow pressure losses, spent by formation and interaction of vortices in the apparatus tube bank, by change of the gas flow direction, by friction of gas on the surface of packing elements and the liquid film, can be calculated by the following dependence [1,6,7,8]:

$$\Delta P_L = \xi_L \cdot \frac{H}{t_e} \cdot \frac{\rho_r W_r^2}{2 \varepsilon_0^2}, \quad (4)$$

where H – the packing height, m; ρ_r – the gas density, kg/m³; W_r – the gas velocity, m/s; ξ_L – resistance coefficient, taking into account the pressure losses by vortex interaction in the vertical and radial directions, by friction of gas on the surface of packing elements and the liquid film; ε_0 – the porosity of the packing line

$$\varepsilon_0 = 1 - \frac{d}{t_p} \quad (5)$$

By processing the experimental data ΔP_L [6,7,17] there have been derived the almost identical calculated dependences to determine the coefficients ξ_L :

$$\xi = 0,25 \cdot \theta_e \cdot \theta_p \cdot Re_{\text{ж}}^{0,1}, \quad (6)$$

In formula (6) $Re_{\text{ж}}$ – the Reynolds number:

$$Re_{\text{ж}} = \frac{U_{\text{ж}} \cdot d_{\text{экв}}}{\nu_{\text{ж}}}, \quad (7)$$

where $U_{\text{ж}} = L/3600$ – the fluid velocity, m/s; $\nu_{\text{ж}}$ – the coefficient of kinematic fluid viscosity, m^2/s ; L – the spraying density, $\text{m}^3/\text{m}^2 \cdot \text{h}$; $d_{\text{экв}}$ – the equivalent packing diameter, m.

To calculate the pressure loss by friction on the shell sides of the surface heat exchanger, the equations that take into account the design and regime parameters are proposed in [18-20]. We have derived the equation, structurally similar to equation (4):

$$\Delta p_{\text{нр}} = \lambda_{\text{tp}} \cdot \frac{D}{t_b} \cdot \frac{\rho_{\text{ж}} \cdot U_{\text{ж}}^2}{2} \quad (8)$$

Here D – the apparatus inner diameter, m; t_b – the tubes arrangement pitch along the way of a moving flow.

To calculate the coefficient λ_{tp} , we have derived the equation, taking into account the vortex interaction degree when streamlining the tubes along the way of and across the moving flow:

$$\lambda_{\text{tp}} = 2,275 \cdot \theta_e \cdot \theta_p \cdot Re^{-0,2} \quad (9)$$

Coefficients θ_e and θ_p in the equation are calculated by formulae (1) and (3).

Conclusions. There are described and experimentally proved the interaction mechanisms of vortices, formed behind the tubes in the vertical and radial directions. There is shown the presence of in-phase modes, when changing the vertical pitches, as well as the importance of the critical pitch in the radial direction, differentiating the two mechanisms of vortex formation.

With using the common approach, there are derived the equations for calculation of hydraulic resistance of contact and surface apparatus, with taking into account the vortex interaction degree.

REFERENCES

- [1] Volnenko A.A. Nauchnyye osnovy razrabotki i rascheta vikhrevykh massoobmenykh i pyleulavlivayushchikh apparatov. Dis.... dok.tekhn.nauk. Shymkent, **1999**. 300 p. (In Russian).
- [2] Brener A.M. Konvektivnyy teplomassoperenos pri dvizhenii zhidkosti v kanalakh i plenochnoy kondensatsii para v usloviyakh bol'shikh gradiyentov temperatury v khimicheskikh apparatakh. Dis....dokt.tekhn.nauk. Chimkent, **1993**. 350 p.(In Russian).
- [3] Tashimov L. Konvektivnyy teplo- i massoobmen v plenochnykh protsessakh khimicheskoy tekhnologii /Voprosy modelirovaniya i ustoychivosti/. Almaty: Bilim. **1999**. 200 p. (In Russian).
- [4] Balabekov O.S., Petin V.F. Zakonomernost' vzaimodeystviya vikhrey, voznikayushchikh pri otryvnom obtekaniyu potokom gaza ili zhidkosti diskretno raspolozhennykh v dol' nego tel /Diplom №144 na otkrytiye. M. **2000**. (In Russian).
- [5] Balabekov O.S., Volnenko A.A., Praliyev S., Korganbayev B.N., Balabekova M.O., Viktorov S.V. Zakonomernost' formirovaniya parallel'no dvizhushchikhsya vikhrevykh struy pri techenii potoka gaza ili zhidkosti cherez sistemuy poperek k nemu raspolozhennykh diskretnykh istochnikov. Svidetel'stvo o nauchnom otkrytiyu №269. Mezhdunarodnaya assotsiatsiya avtorov nauchnykh otkrytiy, M.**2004**.(In Russian).
- [6] Bekibayev N.S. Nauchnyye osnovy sopryazhennykh teplo- i massoobmenykh protsessov v sinfazno-vikhrevykh apparatakh: dis. ... dokt. tekhn. nauk. Shymkent. **2008**. 240 p.(In Russian).
- [7] Serikuly ZH. Razrabotka i raschet teplomassobmennykh apparatov s podvizhnou nasadkoy s uchetom masshtabnogo perekhoda: dis. ... doktora PhD. Shymkent. **2015**. 141 p.(In Russian).

- [8] Raschet i konstruirovaniye tepломассообменных и пылеулавливущих аппаратов с подвижной и регулярной насадкой /Balabekov O.S., Volnenko A.A. Shymkent, **2015**. 184 p.(In Russian)
- [9] Mustafina A.I. Gidrodinamika i massoobmen v apparate s reguljarnoy podvizhnou plastinchatoy nasadkoy v shirokom diapazone nagruzok po zhidkosti. Dis. ... kand. tekhn. nauk. M., **1989**. 180 p.(In Russian).
- [10] Balabekov O.S., Volnenko A.A., Sermanizov S.S., Musin N.A. Printsipial'nyye osnovy razrabotki teploobmennogo oborudovaniya s uchetom zakonomernostey vikhreobrazovaniya // Sovremennyye mashiny i apparaty khimicheskikh proizvodstv: Sb. tez. dokl. IV Vses. nauchn. konf. Chimkent, **1988**, V.2. P.3–5. (In Russian).
- [11] Petin V.F. Razrabotka i modelirovaniye massoobmennogo appara s reguljarnoy podvizhnou nasadkoy na osnove impul'snogo vzaimodeystviya faz. Dis. ... kand. tekhn. nauk. M., **1982**. 241 p.(In Russian).
- [12] Perri Dzhon G. Spravochnik inzhener-khimika. L.: Khimiya, Leningr. otd-niye, **1969**. T.1. 639 p. (In Russian).
- [13] Fage A. Johansen, F.C. On the flow of air behind an inclined flat plate of infinite span // Proc. Roy. Soc. London A, **1927**. V.1.116 p.(inEng).
- [14] Novak J., Svuss Csc. Vstahy mezi souñinitelem odporu a strouhalovym ñislem teles // Strojirenstvi. **1978**. T.28. N5. P.282 –287. (in Eng).
- [15] Ramatullayeva L.I., Volnenko A.A., Khusanov ZH.Ye., Petin V.F. Mekhanizm vzaimodeystviya vikhrey v sloye reguljarnykh konicheskikh plastinchatykh elementov // Tr. Mezhd. nauch. konf. «Aktual'nyye problemy nauki i obrazovaniya v sovremenyykh usloviyakh». Shymkent: YUKGI im. M.Saparbayeva, **2008**. P. 132-135. (In Russian).
- [16] Bekibayev N.S., Volnenko A.A., Ramatullayeva L.I. Mekhanizm vzaimodeystviya vikhrey pri obtekaniyu diskretno raspolozhennykh tsilindricheskikh tel //Nauka i obrazovaniye Yuzhnogo Kazakhstana. **2007**. N5-6 (64-65). P. 146-150.(In Russian).
- [17] Sarsenbekuly D. Metodologiya rascheta i proyektirovaniya apparatov s trubchatoy nasadkoy reguljarnoy struktury: dis. ... doktora PhD. Shymkent. **2017**. 143 p.(In Russian).
- [18] Dytnerskij Ju.I. Osnovnye processy i apparaty himicheskoy tehnologii. M.: Himija, **1991**. 496 p.(In Russian).
- [19] Mashiny i apparaty himicheskikh proizvodstv / Pod red. I.I. Chernobyl'skogo. M.: Mashinostroenie, **1975**. 454 p. (In Russian).
- [20] Mashiny i apparaty himicheskikh proizvodstv: Primery i zadachi. /I.V.Domanskij, V.P.Isakov, G.M.Ostrovskij i dr.; Pod obshh. red. V.N. Sokolova. L.: Mashinostroenie, **1982**. 384 p. (In Russian).

МАЗМУНЫ

<i>Ергөжин Е.Е., Бектенов Н.Ә., СенГүпта Арут К., Байдулаева А.Қ., Садыков Қ.А., Әбдіралиева Г.Е., Қалмуратова К.М., Рыспаева С.Б.</i> Эпоксиакрилат пен комплексондар негізіндегі жаңа комплекстүзгіш ион алмастырыштар арқылы стронций иондарын сорбциялау (ағылшын тілінде).....	6
<i>Ауелханкызы М., Славинская Н.А., Шабанова Т.А., Мансуров З.А.</i> Алленнің тотығуын және пиролизін модельдік зерттеу (ағылшын тілінде).....	12
<i>Ешіжанов А.А., Волненко А.А., Левданский А.Э., Корганбаев Б.Н.</i> Құрамалы туракты - қалықтамалы саптаманың эквивалентті диаметрін есептеуге (ағылшын тілінде).....	20
<i>Жұмадуллаев Д.К., Ешіжанов А.А., Волненко А.А., Левданский А.Э.</i> Беттік және араластырыштық жылу алмастырыштардың құбырлы шоғырындағы гидравликалық кедергіні есептеудің бірінғай тәсілдемесі (ағылшын тілінде)	25
<i>Савденбекова Б.Е., Оспанова А.К., Уваров Н.Ф.</i> Инженерлік технологияда белгілі бір мақсатты қасиетке ие перспективалық композитті материалдарды алу үшін мультижинақтау әдісін (LBL) қолдану (ағылшын тілінде).....	31
<i>Альчинбаева О., Сарбаева Қ.</i> Адам ағзасына химиялық ағартқыш заттарының әсері (ағылшын тілінде).....	38
<i>Үмбетова А.К., Слан Г.О., Омарова А.Т., Бурашева Г.Ш., Абидкулова К.Т.</i> Алматы өніріндегі <i>Atrapaxis virgata</i> өсімдігінің химиялық құрамын зерттеу (ағылшын тілінде).....	42
<i>Баешов Ә.Б., Нұрділаева Р.Н., Ташикенбаева Н.Ж., Өзлер М.Ә.</i> Айнымалы токпен поляризацияланған tot баспайтын болаттың еруі (ағылшын тілінде).....	46
<i>Көмекбай Ж.Н., Халменова З.Б., Үмбетова А.К., Бисенбай А.Ф.</i> <i>Melissa officinalis L</i> өсімдігі негізінде фитохимиялық анализ жасау және биологиялық белсенді кешен алу (ағылшын тілінде).....	53
<i>Мамырбекова А., Баешов А.Б., Касымова М.К., Мамырбекова А.</i> Микроорганизмдердің өсуіне газ тасымалдау қызметі бар перфтордекалиннің әсері (ағылшын тілінде).....	59
<i>Еспанова И.Д., Жусупова Л.А., Тапалова А.С., Анпазов Н.О.</i> Гексен-1 мен бутан қышқылының қосылу реакциясын микротолқындық белсендіріу (ағылшын тілінде).....	63
<i>Надиров Н.К., Некрасов В.Г., Солодова Е.В., Срымов Т., Суханбердиева Д.Т., Култоре М.А.</i> Жаңа буын жылышайы (ағылшын тілінде).....	70

* * *

<i>Ергөжин Е.Е., Бектенов Н.Ә., СенГүпта Арут К., Байдулаева А.Қ., Садыков Қ.А., Әбдіралиева Г.Е., Қалмуратова К.М., Рыспаева С.Б.</i> Эпоксиакрилат пен комплексондар негізіндегі жаңа комплекстүзгіш ион алмастырыштар арқылы стронций иондарын сорбциялау (орыс тілінде).....	81
<i>Ешіжанов А.А., Волненко А.А., Левданский А.Э., Корганбаев Б.Н.</i> Құрамалы туракты - қалықтамалы саптаманың эквивалентті диаметрін есептеуге (орыс тілінде).....	87
<i>Жұмадуллаев Д.К., Ешіжанов А.А., Волненко А.А., Левданский А.Э.</i> Беттік және араластырыштық жылу алмастырыштардың құбырлы шоғырындағы гидравликалық кедергіні есептеудің бірінғай тәсілдемесі (орыс тілінде).....	93
<i>Савденбекова Б.Е., Оспанова А.К., Уваров Н.Ф.</i> Инженерлік технологияда белгілі бір мақсатты қасиетке ие перспективалық композитті материалдарды алу үшін мультижинақтау әдісін (LBL) қолдану (орыс тілінде).....	100
<i>Үмбетова А.К., Слан Г.О., Омарова А.Т., Бурашева Г.Ш., Абидкулова К.Т.</i> Алматы өніріндегі <i>Atrapaxis virgata</i> өсімдігінің химиялық құрамын зерттеу (қазақ тілінде).....	109
<i>Көмекбай Ж.Н., Халменова З.Б., Үмбетова А.К., Бисенбай А.Ф.</i> <i>Melissa officinalis L</i> өсімдігі негізінде фитохимиялық анализ жасау және биологиялық белсенді кешен алу (орыс тілінде).....	114
<i>Надиров Н.К., Некрасов В.Г., Солодова Е.В., Срымов Т., Суханбердиева Д.Т., Култоре М.А.</i> Жаңа буын жылышайы (орыс тілінде).....	122

СОДЕРЖАНИЕ

<i>Ергожин Е.Е., Бектенов Н.А., СенГупта Аруп К., Байдулаева А.К., Садыков К.А., Абдрадиева Г.Е., Калмуратова К.М., Рыспаева С.Б.</i> Сорбция ионов стронция новыми комплексообразующими ионитами на основе эпоксиакрилатов и комплексонов (на английском языке).....	6
<i>Аугелханкызы М., Славинская Н.А., Шабанова Т.А., Мансуров З.А.</i> Моделирование окисления и пиролиза аллена (на английском языке).....	12
<i>Ешжанов А.А., Волненко А.А., Левданский А.Э., Корганбаев Б.Н.</i> К расчету эквивалентного диаметра комбинированной регулярно–взвешенной насадки (на английском языке).....	20
<i>Жумадуллаев Д.К., Ешжанов А.А., Волненко А.А., Левданский А.Э.</i> Единый подход к расчету гидравлического сопротивления трубчатого пучка смесительного и поверхностного теплообменников (на английском языке)	25
<i>Савденбекова Б.Е., Оспанова А.К., Уваров Н.Ф.</i> Применение метода мультислойной сборки (LBL) в инженерных технологиях для получения перспективных композитных материалов с целенаправленными свойствами (на английском языке).....	31
<i>Альчинбаева О., Сарбаева К.</i> Негативное влияние химических отбеливателей на организм человека (на английском языке).....	38
<i>Умбетова А.К., Слан Г.О., Омарова А.Т., Бурашева Г.Ш., Абидкулова К.Т.</i> Исследование химического состава <i>Atrapaxis virgata</i> алматинского региона (на английском языке).....	42
<i>Баев А.Б., Нурдиллаева Р.Н., Тащенбаева Н.Ж., Озлер М.А.</i> Растворение нержавеющей стали при поляризации переменным током (на английском языке).....	46
<i>Комекбай Ж.Н., Халменова З.Б., Умбетова А.К., Бисенбай А.Г.</i> Фитохимический анализ и разработка получения биологически активного комплекса на основе сырья <i>Melissa officinalis L</i> (на английском языке).....	53
<i>Мамырбекова А., Баев А.Б., Касымова М.К., Мамырбекова А.</i> Влияние перфтордекалина с газотранспортной функцией на рост микроорганизмов (на английском языке).....	59
<i>Еспанова И.Д., Жусупова Л.А., Тапалова А.С., Анназов Н.О.</i> Микроволновая активация реакции присоединения гексен-1 и бутановой кислоты (на английском языке).....	63
<i>Надиров Н.К., Некрасов В.Г., Солодова Е.В., Срымов Т., Суханбердиева Д.Т., Култоре М.А.</i> Теплицы нового поколения (на английском языке).....	70

* * *

<i>Ергожин Е.Е., Бектенов Н.А., СенГупта Аруп К., Байдулаева А.К., Садыков К.А., Абдрадиева Г.Е., Калмуратова К.М., Рыспаева С.Б.</i> Сорбция ионов стронция новыми комплексообразующими ионитами на основе эпоксиакрилатов и комплексонов (на русском языке)	81
<i>Ешжанов А.А., Волненко А.А., Левданский А.Э., Корганбаев Б.Н.</i> К расчету эквивалентного диаметра комбинированной регулярно–взвешенной насадки (на русском языке).....	87
<i>Жумадуллаев Д.К., Ешжанов А.А., Волненко А.А., Левданский А.Э.</i> Единый подход к расчету гидравлического сопротивления трубчатого пучка смесительного и поверхностного теплообменников (на русском языке)	93
<i>Савденбекова Б.Е., Оспанова А.К., Уваров Н.Ф.</i> Применение метода мультислойной сборки (LBL) в инженерных технологиях для получения перспективных композитных материалов с целенаправленными свойствами (на русском языке).....	100
<i>Умбетова А.К., Слан Г.О., Омарова А.Т., Бурашева Г.Ш., Абидкулова К.Т.</i> Исследование химического состава <i>Atrapaxis virgata</i> алматинского региона (на казахском языке).....	109
<i>Комекбай Ж.Н., Халменова З.Б., Умбетова А.К., Бисенбай А.Г.</i> Фитохимический анализ и разработка получения биологически активного комплекса на основе сырья <i>Melissa officinalis L</i> . (на русском языке).....	114
<i>Надиров Н.К., Некрасов В.Г., Солодова Е.В., Срымов Т., Суханбердиева Д.Т., Култоре М.А.</i> Теплицы нового поколения (на русском языке).....	122

CONTENTS

<i>Ergozhin E.E., Bektenov N.A., SenGupta Arup K., Baidullaeva A.K., Sadykov K.A., Abdralieva G. E., Kalmuratova K.M., Ryspaeva S.B.</i> Sorption of ions strontium with new complex - forming ionites on the basis of epoxyacrylates and Complexones (in English).....	6
<i>Auyelkhankzy M., Slavinskaya N., Shabanova T.A., Mansurov Z.</i> A modeling study of allene oxidation and pyrolysis (in English).....	12
<i>Yeshzhanov A.A., Volnenko A.A., Levanskii A.E., Korganbayev B.N.</i> To calculating the equivalent diameter of a combined regular-suspended packing (in English).....	20
<i>Zhumadullaev D.K., Yeshzhanov A.A., Volnenko A.A., Levanskii A.E.</i> Common approach to the calculation of hydraulic resistance of a tube bank of contact and surface heat exchangers (in English).....	25
<i>Saydenbekova B.E., Ospanova A.K., Uvarov N.F.</i> Application of the multilayer assembly (LBL) method in engineering technologies for obtaining perspective composite materials with purpose properties (in English).....	31
<i>Alchinbayeva O., Sarbayeva K.</i> Negative effect of chemical bleachers on the human organism (in English).....	38
<i>Umbetova A.K., Slan G.O., Omarova A.T., Burasheva G.Sh., Abidkulova K. T.</i> The study of chemical composition of <i>Atrapaxis virgata</i> from the almaty region (in English)	42
<i>Bayeshov A.B., Nurdillayeva R.N., Tashkenbayeva N.Zh., Ozler M.A.</i> Dissolution of stainless steel under alternating current polarization (in English)	46
<i>Komekbay Zh. N., Halmenova Z. B., Umbetova A. K., Bisenbay A.G.</i> Phytochemical analysis and development of production of biologically active complex on the basis of raw <i>Melissa officinalis L</i> (in English).....	53
<i>Mamyrbekova A., Bayeshov A.B., Kasymova M.K., Mamyrbekova A.</i> Influence of perfluorodecalin with gas transport function on growth of microorganisms (in English).....	59
<i>Yespanova I.D., Zhusupova L.A., Tapalova A.S., Appazov N.O.</i> Microwave activation of addition of 1-hexene and butanoic acid reaction (in English)	63
<i>Nadirov N.K., Nekrasov V.G., Solodova Y.V., Srymov T., Suhanberdieva D.T., Kultore M.A.</i> Hothouses of new generation (in English).....	70

* * *

<i>Ergozhin E.E., Bektenov N.A., SenGupta Arup K., Baidullaeva A.K., Sadykov K.A., Abdralieva G. E., Kalmuratova K.M., Ryspaeva S.B.</i> Sorption of ions strontium with new complex - forming ionites on the basis of epoxyacrylates and complexes (in Russian)	81
<i>Yeshzhanov A.A., Volnenko A.A., Levanskii A.E., Korganbayev B.N.</i> To calculating the equivalent diameter of a combined regular-suspended packing (in Russian)	87
<i>Zhumadullaev D.K., Yeshzhanov A.A., Volnenko A.A., Levanskii A.E.</i> Common approach to the calculation of hydraulic resistance of a hollow beam of contact and surface heat exchangers (in Russian).....	93
<i>Saydenbekova B.E., Ospanova A.K., Uvarov N.F.</i> Application of the multilayer assembly (LBL) method in engineering technologies for obtaining perspective composite materials with purpose properties (in Russian).....	100
<i>Umbetova A.K., G.O. Slan, Omarova A.T., Burasheva G.Sh., Abidkulova K. T.</i> The study of chemical composition of <i>Atrapaxis virgata</i> from the almaty region (in Kazakh).....	109
<i>Komekbay Zh. N., Halmenova Z. B., Umbetova A. K., Bisenbay A.G.</i> Phytochemical analysis and development of production of biologically active complex on the basis of raw <i>Melissa officinalis L</i> (in Russian).....	114
<i>Nadirov N.K., Nekrasov V.G., Solodova Y.V., Srymov T., Suhanberdieva D.T., Kultore M.A.</i> Hothouses of new generation (in Russian).....	122

**Publication Ethics and Publication Malpractice
in the journals of the National Academy of Sciences of the Republic of Kazakhstan**

For information on Ethics in publishing and Ethical guidelines for journal publication see <http://www.elsevier.com/publishingethics> and <http://www.elsevier.com/journal-authors/ethics>.

Submission of an article to the National Academy of Sciences of the Republic of Kazakhstan implies that the described work has not been published previously (except in the form of an abstract or as part of a published lecture or academic thesis or as an electronic preprint, see <http://www.elsevier.com/postingpolicy>), that it is not under consideration for publication elsewhere, that its publication is approved by all authors and tacitly or explicitly by the responsible authorities where the work was carried out, and that, if accepted, it will not be published elsewhere in the same form, in English or in any other language, including electronically without the written consent of the copyright-holder. In particular, translations into English of papers already published in another language are not accepted.

No other forms of scientific misconduct are allowed, such as plagiarism, falsification, fraudulent data, incorrect interpretation of other works, incorrect citations, etc. The National Academy of Sciences of the Republic of Kazakhstan follows the Code of Conduct of the Committee on Publication Ethics (COPE), and follows the COPE Flowcharts for Resolving Cases of Suspected Misconduct (http://publicationethics.org/files/u2/New_Code.pdf). To verify originality, your article may be checked by the Cross Check originality detection service <http://www.elsevier.com/editors/plagdetect>.

The authors are obliged to participate in peer review process and be ready to provide corrections, clarifications, retractions and apologies when needed. All authors of a paper should have significantly contributed to the research.

The reviewers should provide objective judgments and should point out relevant published works which are not yet cited. Reviewed articles should be treated confidentially. The reviewers will be chosen in such a way that there is no conflict of interests with respect to the research, the authors and/or the research funders.

The editors have complete responsibility and authority to reject or accept a paper, and they will only accept a paper when reasonably certain. They will preserve anonymity of reviewers and promote publication of corrections, clarifications, retractions and apologies when needed. The acceptance of a paper automatically implies the copyright transfer to the National Academy of Sciences of the Republic of Kazakhstan.

The Editorial Board of the National Academy of Sciences of the Republic of Kazakhstan will monitor and safeguard publishing ethics.

Правила оформления статьи для публикации
в журнале смотреть на сайте:

www:nauka-nanrk.kz

<http://www.chemistry-technology.kz/index.php/ru/>

ISSN 2518-1491 (Online), ISSN 2224-5286 (Print)

Редакторы: *М. С. Ахметова, Т. А. Апендиев, Аленов Д.С.*
Верстка на компьютере *А.М. Кульгинбаевой*

Подписано в печать 13.02.2018.
Формат 60x881/8. Бумага офсетная. Печать – ризограф.
7,8 п.л. Тираж 300. Заказ 1.

*Национальная академия наук РК
050010, Алматы, ул. Шевченко, 28, т. 272-13-18, 272-13-19*