

ISSN 2518-1491 (Online),  
ISSN 2224-5286 (Print)

ҚАЗАҚСТАН РЕСПУБЛИКАСЫ  
ҰЛТТЫҚ ҒЫЛЫМ АКАДЕМИЯСЫНЫҢ

# Х А Б А Р Л А Р Ы

## ИЗВЕСТИЯ

НАЦИОНАЛЬНОЙ АКАДЕМИИ НАУК  
РЕСПУБЛИКИ КАЗАХСТАН

## NEWS

OF THE ACADEMY OF SCIENCES  
OF THE REPUBLIC OF KAZAKHSTAN

### ХИМИЯ ЖӘНЕ ТЕХНОЛОГИЯ СЕРИЯСЫ

◆  
**СЕРИЯ**  
**ХИМИИ И ТЕХНОЛОГИИ**  
◆  
**SERIES**  
**CHEMISTRY AND TECHNOLOGY**

**3 (423)**

МАМЫР – МАУСЫМ 2017 Ж.  
МАЙ – ИЮНЬ 2017 г.  
MAY – JUNE 2017

1947 ЖЫЛДЫҢ ҚАҢТАР АЙЫНАН ШЫҒА БАСТАҒАН  
ИЗДАЕТСЯ С ЯНВАРЯ 1947 ГОДА  
PUBLISHED SINCE JANUARY 1947

ЖЫЛЫНА 6 РЕТ ШЫҒАДЫ  
ВЫХОДИТ 6 РАЗ В ГОД  
PUBLISHED 6 TIMES A YEAR

АЛМАТЫ, ҚР ҰФА  
АЛМАТЫ, НАН РК  
ALMATY, NAS RK

Бас редакторы  
х.ғ.д., проф., ҚР ҮҒА академигі **М.Ж. Жұрынов**

Редакция алқасы:

**Ағабеков В.Е.** проф., академик (Белорус)  
**Волков С.В.** проф., академик (Украина)  
**Воротынцев М.А.** проф., академик (Ресей)  
**Газалиев А.М.** проф., академик (Қазақстан)  
**Ергожин Е.Е.** проф., академик (Қазақстан)  
**Жармағамбетова А.К.** проф. (Қазақстан), бас ред. орынбасары  
**Жоробекова Ш.Ж.** проф., академик (Қырғыстан)  
**Итқұлова Ш.С.** проф. (Қазақстан)  
**Манташян А.А.** проф., академик (Армения)  
**Пралиев К.Д.** проф., академик (Қазақстан)  
**Баешов А.Б.** проф., корр.-мүшесі (Қазақстан)  
**Бұркітбаев М.М.** проф., корр.-мүшесі (Қазақстан)  
**Джусипбеков У.Ж.** проф. корр.-мүшесі (Қазақстан)  
**Молдахметов М.З.** проф., корр.-мүшесі (Қазақстан)  
**Мансуров З.А.** проф. (Қазақстан)  
**Наурызбаев М.К.** проф. (Қазақстан)  
**Рудик В.** проф., академик (Молдова)  
**Рахимов К.Д.** проф. корр.-мүшесі (Қазақстан)  
**Стрельцов Е.** проф. (Белорус)  
**Тәшімов Л.Т.** проф., корр.-мүшесі (Қазақстан)  
**Тодераш И.** проф., академик (Молдова)  
**Халиков Д.Х.** проф., академик (Тәжікстан)  
**Фарзалиев В.** проф., академик (Әзірбайжан)

**«ҚР ҮҒА Хабарлары. Химия және технология сериясы».**

**ISSN 2518-1491 (Online),**

**ISSN 2224-5286 (Print)**

Меншіктенуші: «Қазақстан Республикасының Үлттық ғылым академиясы» Республикалық қоғамдық бірлестігі (Алматы қ.)

Қазақстан республикасының Мәдениет пен ақпарат министрлігінің Ақпарат және мұрагат комитетінде 30.04.2010 ж. берілген №1089-Ж мерзімдік басылым тіркеуіне қойылу туралы куәлік

Мерзімділігі: жылдан 6 рет.

Тиражы: 300 дана.

Редакцияның мекенжайы: 050010, Алматы қ., Шевченко көш., 28, 219 бөл., 220, тел.: 272-13-19, 272-13-18,  
[www.nauka-nanrk.kz](http://www.nauka-nanrk.kz) / [chemistry-technology.kz](http://chemistry-technology.kz)

---

© Қазақстан Республикасының Үлттық ғылым академиясы, 2017

Типографияның мекенжайы: «Аруна» ЖК, Алматы қ., Муратбаева көш., 75.

Г л а в н ы й р е д а к т о р  
д.х.н., проф., академик НАН РК **М. Ж. Журинов**

Р е д а к ц и о н на я кол л е г и я:

**Агабеков В.Е.** проф., академик (Беларусь)  
**Волков С.В.** проф., академик (Украина)  
**Воротынцев М.А.** проф., академик (Россия)  
**Газалиев А.М.** проф., академик (Казахстан)  
**Ергожин Е.Е.** проф., академик (Казахстан)  
**Жармагамбетова А.К.** проф. (Казахстан), зам. гл. ред.  
**Жоробекова Ш.Ж.** проф., академик (Кыргызстан)  
**Иткулова Ш.С.** проф. (Казахстан)  
**Манташян А.А.** проф., академик (Армения)  
**Пралиев К.Д.** проф., академик (Казахстан)  
**Баешов А.Б.** проф., чл.-корр. (Казахстан)  
**Буркитбаев М.М.** проф., чл.-корр. (Казахстан)  
**Джусипбеков У.Ж.** проф. чл.-корр. (Казахстан)  
**Мулдахметов М.З.** проф., чл.-корр. (Казахстан)  
**Мансуров З.А.** проф. (Казахстан)  
**Наурызбаев М.К.** проф. (Казахстан)  
**Рудик В.** проф., академик (Молдова)  
**Рахимов К.Д.** проф. чл.-корр. (Казахстан)  
**Стрельцов Е.** проф. (Беларусь)  
**Ташимов Л.Т.** проф., чл.-корр. (Казахстан)  
**Тодераш И.** проф., академик (Молдова)  
**Халиков Д.Х.** проф., академик (Таджикистан)  
**Фарзалиев В.** проф., академик (Азербайджан)

**«Известия НАН РК. Серия химии и технологии».**

**ISSN 2518-1491 (Online),**

**ISSN 2224-5286 (Print)**

Собственник: Республиканское общественное объединение «Национальная академия наук Республики Казахстан» (г. Алматы)

Свидетельство о постановке на учет периодического печатного издания в Комитете информации и архивов Министерства культуры и информации Республики Казахстан №10893-Ж, выданное 30.04.2010 г.

Периодичность: 6 раз в год

Тираж: 300 экземпляров

Адрес редакции: 050010, г. Алматы, ул. Шевченко, 28, ком. 219, 220, тел. 272-13-19, 272-13-18,  
<http://nauka-nanrk.kz> / chemistry-technology.kz

---

© Национальная академия наук Республики Казахстан, 2017

Адрес редакции: 050100, г. Алматы, ул. Кунаева, 142,  
Институт органического катализа и электрохимии им. Д. В. Сокольского,  
каб. 310, тел. 291-62-80, факс 291-57-22, e-mail:orgcat@nursat.kz

Адрес типографии: ИП «Аруна», г. Алматы, ул. Муратбаева, 75

Editor in chief  
doctor of chemistry, professor, academician of NAS RK **M.Zh. Zhurinov**

Editorial board:

**Agabekov V.Ye.** prof., academician (Belarus)  
**Volkov S.V.** prof., academician (Ukraine)  
**Vorotyntsev M.A.** prof., academician (Russia)  
**Gazaliyev A.M.** prof., academician (Kazakhstan)  
**Yergozhin Ye.Ye.** prof., academician (Kazakhstan)  
**Zharmagambetova A.K.** prof. (Kazakhstan), deputy editor in chief  
**Zhorobekova Sh.Zh.** prof., academician (Kyrgyzstan)  
**Itkulova Sh.S.** prof. (Kazakhstan)  
**Mantashyan A.A.** prof., academician (Armenia)  
**Praliyev K.D.** prof., academician (Kazakhstan)  
**Bayeshov A.B.** prof., corr. member (Kazakhstan)  
**Burkitbayev M.M.** prof., corr. member (Kazakhstan)  
**Dzhusipbekov U.Zh.** prof., corr. member (Kazakhstan)  
**Muldakhmetov M.Z.** prof., corr. member (Kazakhstan)  
**Mansurov Z.A.** prof. (Kazakhstan)  
**Nauryzbayev M.K.** prof. (Kazakhstan)  
**Rudik V.** prof., academician (Moldova)  
**Rakhimov K.D.** prof., corr. member (Kazakhstan)  
**Streltsov Ye.** prof. (Belarus)  
**Tashimov L.T.** prof., corr. member (Kazakhstan)  
**Toderash I.** prof., academician (Moldova)  
**Khalikov D.Kh.** prof., academician (Tadzhikistan)  
**Farzaliyev V.** prof., academician (Azerbaijan)

**News of the National Academy of Sciences of the Republic of Kazakhstan. Series of chemistry and technology.**

**ISSN 2518-1491 (Online),**

**ISSN 2224-5286 (Print)**

Owner: RPA "National Academy of Sciences of the Republic of Kazakhstan" (Almaty)

The certificate of registration of a periodic printed publication in the Committee of Information and Archives of the Ministry of Culture and Information of the Republic of Kazakhstan N 10893-Ж, issued 30.04.2010

Periodicity: 6 times a year

Circulation: 300 copies

Editorial address: 28, Shevchenko str., of. 219, 220, Almaty, 050010, tel. 272-13-19, 272-13-18,  
<http://nauka-nanrk.kz> / [chemistry-technology.kz](http://chemistry-technology.kz)

---

© National Academy of Sciences of the Republic of Kazakhstan, 2017

Editorial address: Institute of Organic Catalysis and Electrochemistry named after D. V. Sokolsky  
142, Kunayev str., of. 310, Almaty, 050100, tel. 291-62-80, fax 291-57-22,  
e-mail: [orgcat@nursat.kz](mailto:orgcat@nursat.kz)

Address of printing house: ST "Aruna", 75, Muratbayev str, Almaty

**NEWS**

OF THE NATIONAL ACADEMY OF SCIENCES OF THE REPUBLIC OF KAZAKHSTAN

**SERIES CHEMISTRY AND TECHNOLOGY**

ISSN 2224-5286

Volume 3, Number 423 (2017), 13 – 20

**R.S. Alibekov<sup>1</sup>, M. Sikorski<sup>2</sup>, K.A. Urazbayeva<sup>1</sup>, E.A. Gabrilyants<sup>1</sup>**<sup>1</sup>Department of Food Engineering, M. Auezov's South Kazakhstan State University, Shymkent, Kazakhstan<sup>2</sup>Faculty of Chemistry, A. Mickiewicz University, Poznan, Poland**PHYSICO-CHEMICAL STUDY OF MACRO - AND MICROELEMENT COMPOSITION OF THE ENRICHED MACARONI PRODUCTS**

**Abstract.** The results of organoleptic and physico-chemical studies of enriched macaroni products are presented. As dietary supplements powder of carrot and holy thistle (*Silybum*) is offered that are sources of antioxidants, flavonoids and various vitamins. By using the Raster Electronic Microscope (REM) and Inductively Coupled Plasma Mass Spectrometry (ICP-MS) devices, the macro- and microelement composition of the obtained samples were investigated. The significantly increasing in the mass fraction of the main micronutrients, such as macroelements: Na, Mg, P, K; and microelements: Fe, Al, Si, Cl were found. Additional enrichment is carried out by phenolic compounds of holy thistle (*Silybum*) of flavonoid class in the form of flavolignans (silybin, isosilibine, silidianin, silicristin, isosilicristin et al) that have hepatoprotective and antioxidant properties. Also improvement by carotenoid-carotenes, flavonoids and various vitamins in carrots are provided. The obtained study results testify that the enriched macaroni products with carrots and holy thistle (*Silybum*) powder additives can quite correspond to the functional food stuffs with biologically active properties.

**Key words:** antioxidants, carrot, dietary supplements, flavonoids, holy thistle (*Silybum*), micronutrients, pasta.

**Introduction**

Macaroni products have several advantages over the most common food products. At the storing pasta without stale food, like bread, and less hygroscopic in comparison with breadcrumbs, it is well transported and stored (up to a year and more) without deterioration of taste and food properties. Macaroni products in terms of nutritional value are superior to a wheat bread, as they are made from wheat flour with the maximum content of protein substances. They contain 9-13% of proteins, 75-79 assimilable carbohydrates, 0.9 fats, 0.6% of minerals and vitamins B1, B2, PP, etc. The calorie content of pasta is 360 kcal per 100 g. The digestibility of their by human body is a higher than digestibility of cereals. Proteins of macaroni products are digested by 85%, carbohydrates by 98% and fats by 95%. Of these, it can be quickly prepared a dish, since the duration of their cooking is 5 - 15 minutes [3, 14].

Considering that macaroni products are popular and consumed in large quantities, an effective way in the improving of a quality and the increasing of a nutritional value provide prevention of various illness by dietary vitamin supplements. Depending on the type of added raw material, possibilities in the prevention of specific diseases perform [16].

Greater consumer demand for nutritious extruded food products with enhanced bioactive compounds has shifted research focus towards incorporation of bioactive rich ingredients with traditionally extruded starch materials [2].

As known that among the genotoxic and carcinogenic substances, the most part is made up of aromatic amines that are widely used in the aniline, rubber and rubber industries, as well as in the production of plastics. For the aromatic amines are applied aminobiphenyls that after metabolic activation in the body cause the formation of tumors and are called carcinogens of indirect action. Most procarcinogens are hydrophobic, and their excretion from the human body reduces to the formation of hydrophilic metabolites. The main reactions of biotransformation of aminobiphenyls are their oxidation processes involving peroxidases and monooxygenases [4].

Antioxidants are compounds that can delay or inhibit the oxidation of lipids or other molecules by inhibiting the initiation or propagation of oxidizing chain reactions [20].

In general, there are two basic categories of antioxidants, natural and synthetic. Recently, interest has increased considerably in finding naturally occurring antioxidants for use in foods or medicinal materials to replace synthetic antioxidants, which are being restricted due to their carcinogenicity [5].

Substances capable for the binding of free radicals of oxidized aminobiphenyls act as genoprotectors. This antimutagenic effect is specific for many phenolic compounds of plant origin. It seems expedient to investigate the possibility of the manifestation of the genoprotective properties of silymarin and individual flavolignans consisted in this substance [13].

Unique hepatoprotective and antioxidant properties have preparations based on holy thistle (*Silybum*) are associated with a high content of a rare class of phenolic compounds - flavolignanes (silybin, isosilibin, lihydrosilibin, silidainin, silicristin, isosilicristin, silimonin, siland, etc.) [7].

Silymarin, a mixture of flavanoid complexes, is the active component that protects liver and kidney cells from toxic effects of drugs, including chemotherapy [10].

Silymarin and silybin used so far mostly as hepatoprotectants were shown to have other interesting activities as e.g., anticancer and canceroprotective. These activities were demonstrated in a large variety of illnesses of different organs as e.g., prostate, lungs, CNS, kidneys, pancreas and others [7]. Moreover, various herbs along with vegetables and fruits contain numerous phytochemicals in addition to phenolic compounds, such as nitrogen compounds, carotenoids, and ascorbic acid [19].

The composition of carrots contains carotenoids-carotene, phytoene, phytofluene and lycopene; Vitamins B, B2, pantothenic acid, ascorbic acid; flavonoids, anthocyanidins, sugars (3-15%), fatty and in a small amount essential oil, umbelliferone; in the seeds - essential oil, flavone compounds and fatty oil in the colors of the content of anthocyanins and flavonoids (quercetin, kempeperhol) [15].

The antioxidant activity of different vegetables was evaluated by using a widely accepted model system containing b-carotene and linoleic acid [6]. Carotenoids are not particularly good quenchers of peroxy radical relative to phenolics and other antioxidants but are exceptional in quenching singlet oxygen, at which most other phenolics and antioxidants are relatively ineffective [11].

Carrot is one of the important root vegetables rich in bioactive compounds like carotenoids and dietary fibers with appreciable levels of several other functional components having significant health-promoting properties. The consumption of carrot and its products is increasing steadily due to its recognition as an important source of natural antioxidants having anticancer activity [12].

Mineral substances play an important role in the human body. They are contained in protoplasm and biological processes; provide constant osmotic pressure that is a necessary condition for the normal vital activity of cells and tissues. Microelements are considered vital if they are deficient or disturbed by the external normal vital activity of the organism [1].

It should be noted that the development of scientific principles for the designing of the composition and improving the technology of multicomponent products by using of non-traditional types of raw materials is one of the actual problems with scientific and practical values.

Due to the above mentioned data, the purpose of the present work was the organoleptic and physicochemical studies of the enriched macaroni products by dietary supplements, such as carrot powder and holy thistle (*Silybum*) [18].

## **Materials and methods**

As objects of study there were selected - wheat flour of the highest grade GOST 52189-2003 *Wheat flour. General specifications* [21]. Also functional vegetable additives: red carrot and holy thistle (*Silybum*).

Quality indicators were determined in accordance with GOST 51865-2002. *Macaroni products. General specifications* [22]. Important indicators of the quality of macaroni products were: organoleptic (color, shape, taste and smell) and physicochemical parameters (moisture, acidity, ash, mass fraction of ash, dry matter and safety of the welded products shape).

The content of minerals in the pasta was determined by using the Raster Electronic Microscope (REM) and Inductively Coupled Plasma Mass Spectrometry (ICP-MS) devices. The inductively coupled plasma mass spectrometry (ISP-MS) method makes it possible to determine a number of metals and several non-metals in concentrations up to  $10^{-10}\%$ , i.e. one particle of  $10^{12}$ , with an atomic mass of 7 to

250, that is, from Li to U. It is able to determine the content of nanograms per liter to 10-100 mg per liter. The method is based on the use of inductively-connected plasma as a source of ions and a mass spectrometer for their separation and detection in an argon gas medium. Unlike atomic absorption spectroscopy that determines only one element at a time, the ISP-MS device can to determine all the elements simultaneously that makes it possible to significantly accelerate the measurement process [9].

The Raster Electronic Microscope (REM) makes it possible to observe fine features using a micro-analyzer of the chemical composition, and details of the structure of microobjects at the atomic-molecular level. It also allows to obtain images of the surface of an object with a high spatial resolution (up to 0.4 nanometers), as well as information on the composition, structure and some other properties of the near-surface layers. The SEM has a large depth of focus, which allows one to observe a three-dimensional image of the structure with the possibility of its quantitative evaluation [17].

Preparation of ash samples for the analysis of the chemical composition was carried out in accordance with GOST 26929-94 [23]. The method of dry mineralization is based on the complete decomposition of organic substances by burning the sample in an electric furnace at a controlled temperature regime of 450-500 °C.

## Results and discussion

Table 1 and Figures 1-4 show the ash chemical composition of macaroni product with additives obtained by the REM.




Figure 1 - Sample 1; Macaroni product without any additives




Figure 2. Sample 2; Macaroni products with carrot additives (5%) and holy thistle (*Silybum*) (5%)




Figure 3. Sample number 3; Macaroni product with carrot additives (7%) and holy thistle (*Silybum*) (5%)




Figure 4. Sample № 4; Macaroni product with carrot additives (7%) and holy thistle (*Silybum*) (7%)

Table 1 - The chemical composition of macaroni product ashes with various additives studied by REM

Elements	№1 (initial), %	№2 (5+5), %	№3 (7+5), %	№4 (7+7), %
O	40,24	42,42	42,50	41,58
Na	0,29	2,69	2,02	1,93
Mg	3,93	4,41	4,66	4,43
Al	-	0,21	0,26	0,23
Si	0,45	0,70	1,11	0,84
P	21,31	13,96	12,06	11,86
S	-	2,51	2,81	3,16
Cl	-	0,97	1,44	2,77
K	28,58	24,54	23,79	24,00
Ca	4,94	7,25	9,07	8,83
Fe	0,26	0,31	0,26	0,32

For the comparative analysis, the sample 3 was chosen: macaroni product with carrot (7%) and holy thistle (*Silybum*) (5%) additives that by the organoleptic and physico-chemical properties, better meets the requirements of GOST.

Table 2 - Comparative analysis of macaroni product with various additives

	Elements	Macaroni product , %	Macaroni product with carrot additives (7%) and holy thistle ( <i>Silybum</i> ) (5%)	Increase in content, %
Macroelements	Na	0,29	2,02	697 %
	Mg	3,93	4,66	119 %
	P	21,31	12,06	- 43 %
	K	28,58	23,79	- 17 %
	Ca	4,94	9,07	183 %
Microelements	Fe	0,26	0,26	0 %
	Al	-	0,26	26 %
	Si	0,45	1,11	247 %
	Cl	-	1,44	144 %

Investigation of microstructure in the form of macaroni product with various contents of carrot and holy thistle (*Silybum*) powder additives was carried out at a total moisture content of 13% for all samples (Figures 5-8).




Figure 5 - Initial macaroni without additive

Figure 5 shows the microstructure of the dried initial macaroni product that has a loose structure with scattered flour grains and starch grains.




Figure 6 - Macaroni product with carrot (5%) and holy thistle (*Silybum*) (5%) additives




Figure 7 - Macaroni product with carrot additives (7%) and holy thistle (*Silybum*) (5%)




Figure 8 - Macaroni product with carrot (7%) and holy thistle (*Silybum*) (7%) additives

As well as the sample 3: Macaroni product with carrot (7%) and holy thistle (*Silybum*) (5%) additives was investigated for the organoleptic and physicochemical properties according to GOST 51865-2010.

Table 3 - Organoleptic characteristics of a new macaroni product

№	Name of the indicator	According to the requirements of GOST 51865-2010	Macaroni product with carrot (7%) and holy thistle ( <i>Silybum</i> ) (5%) additives
1	Color	Suitable for flour. The color of the product using additional raw materials varies depending on the type of this raw material.	Light orange, carrot
2	Forms	Corresponding to the type of products	Corrugated, long
3	Taste	Proper to this product, without foreign taste	Weak flavor of the vegetable additive
4	Smell	Characteristic of this product, without foreign smell	The faint smell of the vegetable additive

Table 4 - Physico-chemical indicators of new macaroni product

Indicators	According to the requirements of GOST 51865-2010	Macaroni product with carrot (7%) and holy thistle ( <i>Silybum</i> ) (5%) additives
Humidity, %, not more than	13	12
Acidity, °T, not more than	4	3,9
Ash insoluble in 10% HCl solution, %, not more than	0,2	0,2
Mass fraction of ash in terms of dry matter, %, not more than	1,4	1,5
Dry substance converted to cooking water, %, not more than	6,0	6,0
Preservation of the form of boiled products, %, not less than	100	100

Analysis of the obtained data shows that the addition of carrot (5%) and holy thistle (*Silybum*) (5%) powders gives for the macaroni product a fibrous-straw and loose structure (Fig. 6).

With the addition of carrots (7%) and holy thistle (*Silybum*) (7%), the structure of the dried pasta became uneven, due to the high content of additive powders that affects the quality of the dried pasta (Fig. 8). Therefore, the properties of macaroni product deteriorate, it becomes more elastic and firm that does not meet the requirements of macaroni semi-finished products.

However, a decrease in the amount of milk powder added from 7% to 5% (Fig. 7) gives the pasta a more homogeneous structure, but with individual sections of small discontinuities, apparently from the

influence of carrot dietary fibers. The structure of the dried pasta dough became dense, the carrot fiber binding fibers are visible [18].

The resulting stitched structure positively affects the quality of macaroni product and the process of heat treatment. The time of cooking is reduced from 8 minutes to 5 minutes. The process of cooking increases in 2 times for the total volume, but it does not boil and keep the form that is an important indicator of good quality for ready-made macaroni product.

### Conclusion

The organoleptic and physicochemical studies show that the developed composition of a new macaroni product with dried carrot and holy thistle (*Silybum*) powder additives meet to the GOST requirements. Also by using the Raster Electronic Microscope (REM) and Inductively Coupled Plasma Mass Spectrometry (ICP-MS) devices, the macro- and microelement composition of the obtained samples were investigated. As a result of the addition of carrots and holy thistle (*Silybum*) the significantly increasing in the mass fraction of the main micronutrients, such as macroelements: Na, Mg, P, K; and microelements: Fe, Al, Si, Cl were found. Additional enrichment is carried out by phenolic compounds of holy thistle (*Silybum*) of flavonoid class in the form of flavolignans (silybin, isosilibine, silidianin, silicristin, isosilicristin et al) that have hepatoprotective and antioxidant properties. Also improvement by carotenoid-carotenes, flavonoids and various vitamins in carrots are provided. The obtained study results testify that the enriched macaroni products with carrots and holy thistle (*Silybum*) powder additives can quite correspond to the functional food stuffs with biologically active properties.

### REFERENCES

- [1] Alibekov, R. S., & Utebaeva, A. A. (2014). Physicochemical research of macro-and microelements composition of tomato juice with various additives. ХАБАРШЫСЫ ВЕСТНИК, Bulletin of Karaganda University, Series Chemistry 4 (76): 24-33. ISSN 0142-0843
- [2] Brennan, C., Brennan, M., Derbyshire, E., & Tiwari, B. K. (2011). Effects of extrusion on the polyphenols, vitamins and antioxidant activity of foods. Trends in Food Science & Technology, 22(10), 570-575. ISSN 09242244 <http://dx.doi.org/10.1016/j.tifs.2011.05.007>
- [3] Gallegos-Infante, J. A., Rocha-Guzman, N. E., Gonzalez-Laredo, R. F., Ochoa-Martinez, L. A., Corzo, N., Bello-Perez, L. A., ... & Peralta-Alvarez, L. E. (2010). Quality of spaghetti pasta containing Mexican common bean flour (*Phaseolus vulgaris* L.). Food Chemistry, 119(4), 1544-1549. ISSN 03088146 <http://dx.doi.org/10.1016/j.foodchem.2009.09.040>
- [4] Hammons, G. J., Milton, D., Stepps, K., Guengerich, F. P., Tukey, R. H., & Kadlubar, F. F. (1997). Metabolism of carcinogenic heterocyclic and aromatic amines by recombinant human cytochrome P450 enzymes. Carcinogenesis, 18(4), 851-854. ISSN 14602180 <http://dx.doi.org/10.1093/carcin/18.4.851>
- [5] Ito, N.; Fukushima, S.; Hasegawa, A.; Shibata, M.; & Ogiso, T. Carcinogenicity of butylated hydroxy anisole in F344 rats. J. Natl. Cancer Inst. 1983, 70, 343-347.
- [6] Kaur, C., & Kapoor, H. C. (2002). Anti-oxidant activity and total phenolic content of some Asian vegetables. International Journal of Food Science & Technology, 37(2), 153-161.
- [7] Křen, V., Walterová, D. (2005). Silybin and silymarin-new effects and applications. Biomedical Papers, 149(1), 29-41.
- [8] Kurkin, V. A. (2003). Rastoropsha pjatnistaja—istochnik lekarstvennyh sredstv (obzor). Himiko-farmacevticheskij zhurnal, 37(4), 27-41. (Holy thistle is a source of medicines (review)). (in Russian)
- [9] Moris, F., Meni, L., & Tisk'e, R. (1985). Mikroanaliz i rastrovaja jelektronnaja mikroskopija. Metallurgija. (Microanalysis and raster electronic microscopy). (in Russian)
- [10] Post-White, J., Ladas, E. J., & Kelly, K. M. (2007). Advances in the use of milk thistle (*Silybum marianum*). Integrative cancer therapies, 6(2), 104-109. ISSN 15347354 <http://dx.doi.org/10.1177/1534735407301632>
- [11] Prior, R. L., Wu, X., & Schach, K. (2005). Standardized methods for the determination of antioxidant capacity and phenolics in foods and dietary supplements. Journal of agricultural and food chemistry, 53(10), 4290-4302. ISSN 00218561 <http://dx.doi.org/10.1021/jf0502698>
- [12] Sharma, K. D., Karki, S., Thakur, N. S., & Attri, S. (2012). Chemical composition, functional properties and processing of carrot—a review. Journal of food science and technology, 49(1), 22-32.
- [13] Shhekatihina, A. S., Chervjakovskij, E. M., Matjunina, M. V., Vlasova, T. M., Spiridovich, E. V., & Kurchenko, V. P. (2006). Harakteristika sostava lekarstvennyh preparatov i semjan rastoropshi pjatnistoj (*Silybum marianum* (L.)). Trudy BGU. Fiziologicheskie, biohimicheskie i molekuljarnye osnovy funkcionirovaniya biosistem, 1, 280-290. (Characteristic of composition of medicines and seeds of a thistle spotty (*Silybum marianum* (L.))). (in Russian)
- [14] Shnejder D.V., (2012). Razrabotka tehnologij bezglutenovyh makaronnyh izdelij//Pishhevaja promyshlennost', 9: S.40-41. ISSN 0235-2486
- [15] Singh, R. P., & Agarwal, R. (2002). Flavonoid antioxidant silymarin and skin cancer. Antioxidants and Redox Signaling, 4(4), 655-663. ISSN 15230864 <http://dx.doi.org/10.1089/15230860260220166>
- [16] Smirnova, N. A., Nadezhnova, L. A., Selezneva, G. D., & Vorob'eva, E. A. (1989). Tovarovedenie zernomuchnyh i konditerskih tovarov. M.: Jekonomika, 355. (Commodity Grain Flour and Confectionery Product). (in Russian)

- [17] Tompson, M., Uolsh, D. N., & Gul'ko, N. I. (1988). Rukovodstvo po spektrometricheskomu analizu s induktivno-svazannoj plazmoj. V. B. Beljanin (Ed.). Nedra. (The guide to the spectrometer analysis with the inductive and connected plasma). (in Russian)
- [18] Urazbaeva K.A. Shambulova G.D., Alibekov R.S., Gabril'janc Je.A., & Nigmatullaeva Z.L. Sposob poluchenija makaronnyh izdelij. Izobretenie A4 (11) 31020 A23L 1/16 (2006.01) 2015/0373.1 ot 17.03.2015, RGPPHV M.Auezov' SKSU (Method of macaroni products obtaining). (in Russian)
- [19] Velioglu, Y. S., Mazza, G., Gao, L., & Oomah, B. D. (1998). Antioxidant activity and total phenolics in selected fruits, vegetables, and grain products. Journal of agricultural and food chemistry, 46(10), 4113-4117. ISSN 00218561 <http://dx.doi.org/10.1021/jf9801973>
- [20] Zheng, Wei, & Shiow Y. Wang. (2001)"Antioxidant activity and phenolic compounds in selected herbs." Journal of Agricultural and Food chemistry 49.11: 5165-5170. ISSN 00218561 <http://dx.doi.org/10.1021/jf010697n>
- [21] GOST R. 52189-2003 Wheat flour // General specifications. - 2003
- [22] GOST R. 51865-2002 Macaroni products // General specifications. - 2002
- [23] GOST 26929-94 Raw materials and food products. Preparation of samples. Mineralization to determine the content of toxic elements.

**Р.С. Алибеков<sup>1</sup>, М. Сикорский<sup>2</sup>, К.А. Уразбаева<sup>1</sup>, Э.А. Габрильянц<sup>1</sup>**

<sup>1</sup>М.Әуезов атындағы Оңтүстік Қазақстан мемлекеттік университеті, Шымкент қ., Қазақстан;

<sup>2</sup>А. Мицкевич университеті, Познань қ., Польша

## **БАЙЫТЫЛАТЫН МАКАРОН ӨНІМДЕРІНІҢ МАКРО- ЖӘНЕ МИКРОЭЛЕМЕНТТЕК ҚҰРАМЫН ФИЗИКА-ХИМИЯЛЫҚ ЗЕРТТЕУ**

**Аннотация.** Байытылған макарон өнімдерінің органолептикалық және физикалық-химиялық зерттеу нәтижелері көлтірілген. Тағам қоспалары ретінде антиоксиданттар, флавоноидтер және әртүрлі витаминдер көзі болып табылатын сәбіз ұнтағы және алатікен (*Silybum*) ұсынылады. Алынған үлгілердің макро және микроэлементтер құрамын растрлық электрондық микроскоп (РЭМ) және индуктивті плазмалық масс-спектрометрияны (ICP-MS) пайдалану арқылы зерттелді. Нәтижесінде негізгі микроэлементтер болып табылатын, макроэлементтер: Na, Mg, P, K; және микроэлементтер: Fe, Al, Si, Cl массалық үлесі едәүір ұлғаяды. Қосымша байыту гепатопротекторлық және антиоксиданттық қасиеттерге ие алатікеннің (*Silybum*) фенольды байланысмен жүзеге асырылады, флавоноид классының флаволигнан түрінде (силибин, изозилибин, силидианин, силикристин, изосиликристин және т. б.). Сондай-ақ, сәбіздің құрамындағы каротиноидтармен, каротинмен, флавоноидтармен және түрлі дәрумендермен жақсарту қөзделген. Алынған зерттеу нәтижелері, алатікен (*Silybum*) және сәбіз қоспасымен байытылған макарон өнімдері, биологиялық белсенді қасиеттерге ие функционалдық азық-түлікке сәйкес келуі мүмкіндігін дәлелдейді.

**Түйін сөздер:** антиоксиданттар, сәбіз, тағамдық қоспалар, флавоноидтар, алатікен (*Silybum*), микроэлементтер, макарон өнімдері.

**Р.С. Алибеков<sup>1</sup>, М. Сикорский<sup>2</sup>, К.А. Уразбаева<sup>1</sup>, Э.А. Габрильянц<sup>1</sup>**

<sup>1</sup>кафедра «Пищевая инженерия», Южно-Казахстанский

Государственный Университет им. М. Ауэзова, Шымкент, Казахстан;

<sup>2</sup>факультет Химии, Университет им. А. Мицкевича, Познань, Польша

## **ФИЗИКО-ХИМИЧЕСКОЕ ИССЛЕДОВАНИЕ МАКРО- И МИКРОЭЛЕМЕНТНОГО СОСТАВА ОБОГАЩЕННЫХ МАКАРОННЫХ ПРОДУКТОВ**

**Аннотация.** Приведены результаты органолептических и физико-химических исследований обогащенных макаронных изделий. В качестве пищевых добавок предлагается порошок моркови и расторопши (*Silybum*), которые являются источниками антиоксидантов, флавоноидов и различных витаминов. С использованием растрового электронного микроскопа (REM) и масс-спектрометрии с индуктивно-связанной плазмой (ICP-MS) был исследован состав макро- и микроэлементов полученных образцов. В результате значительно увеличивается массовая доля основных микроэлементов, таких как макроэлементы: Na, Mg, P, K; и микроэлементы: Fe, Al, Si, Cl. Дополнительное обогащение осуществляется фенольными соединениями расторопши (*Silybum*) класса флавоноидов в форме флаволигнанов (силибин, изозилибин, силидианин, силикристин, изосиликристин и др.), которые обладают гепатопротекторными и антиоксидантными свойствами. Также предусмотрено улучшение каротиноидами-каротинами, флавоноидами и различными витаминами моркови. Полученные результаты исследования свидетельствуют о том, что обогащенные макаронные изделия с добавками моркови и расторопши (*Silybum*) вполне могут соответствовать функциональным продуктам питания с биологически активными свойствами.

**Ключевые слова:** антиоксиданты, морковь, пищевые добавки, флавоноиды, расторопша (*Silybum*), микроэлементы, макаронные изделия.

**МАЗМУНЫ**

Тукибаева А.С., Табиши Л., Богуслава Л., Абылқасымов Н., Сапарбекова С. Жана диподол синтез жүйесін зерттеу, құрамында пиридиния бар - имиднді қалдықтар.....	5
Алибеков Р.С., Сикорский М., Уразбаева К.А., Габрильянц Э.А. Байытылатын макарон өнімдерінің макро және микроэлементтік құрамын физика-химиялық зерттеу.....	13
Баешов А.Б., Сражанова А.Б., Баешова А.К., Түргумбаева Р.Х., Егебаева С.С. «Корғасын-графит» гальваникалық жұбы негізінде химиялық куат көзін құқырт қышқылы ортасында құры.....	21
Әбілдин Т.С., Василина Г.Қ., Елубай М.А., Сулейменов М.А., Мұхитов Қ., Қажыбаева М., Жаркенова Д. Ароматты моно-, динитрилдерді түрленген никель катализаторларында сутек қысымында гидрлеу.....	29
Касенов Б.К., Сагинтаева Ж.И., Касенова Ш.Б., Куанышбеков Е.Е. Исследование некоторых электрофизических свойств цинката-манганитов $\text{LaMe}_2\text{ZnMnO}_6$ ( $\text{Me} = \text{Mg}, \text{Ca}, \text{Sr}, \text{Ba}$ ).....	37
Масалимова Б.Қ., Калмаханова М.С. Наноқұрылымды катализаторларда пропан-бутанды қоспаның акролеинге дейін жартылай тотығуы.....	46
Стациук В.Н., Фогель Л.А., Болд А., Султанбек Ү. Фосфатты жабындысы бар темір электродының циклі вольтамперлік кисықтары.....	52
Стациук В.Н., Фогель Л.А., Айт С., Болд А. Темірдің белсенді еру потенциалдары аумағында жүретін электродтық Процестер.....	60
Кедельбаев Б.Ш., Есимова А.М., Құдасова Д.Е., Рысбаева Г.С., Нарымбаева З.К. Сыра үгіндісі полисахаридтерінен ксилит алу үшін оптимальды каталитикалық жүйелер жасау.....	68
Сасс А.С., Сабитова И.Ж., Масенова А.Т., Кензин Н.Р., Рахметова К.С., Усенов А.К., Комашко Л.В., Яскевич В.И. Қемірсутектерді терең тотықтыруға арналған блок типтес платина катализаторларын жасау. Хабарлама 1.....	73
Суербаев Х.А., Құдайбергенов Н.Ж., Есенжанова Н.Р., Қожахмет М.К., Гайни А. Алкилкемірқышқылдарының сілтілік тұздары фенолдар мен нафтолдарды карбоксилдеуші реагенттер ретінде.....	79
Леска Б., Табиши Л., Тукибаева А.С., Абылқасымов Н., Сапарбаева С. Металл (алтын, күміс) беттерінде анионды лигандалардың өздігінен түзілетін органо-кремнийлі монокабаттарын алу және олардың қасиеттерінің комплексті иондарға тәуелділігін зерттеу.....	94
Фазылов С.Д., Сәтбаева Ж.Б., Қаріпова Г.Ж., Татеева А.Б., Молдахметов М.З., Арынова А.Е., Даутова З.С. Қоныр қемірлерден гуминді және шайырлы заттардың экстракциялық шығымдарына микротолқынды сәулелендірудің әсері.....	103
Шейх-Али А.Д., Ауезов А.Б., Молдахметова М.Н., Омарова Т.А. Парафинді мұнайдың реологиялық қасиетіне магниттік әрістің әсері.....	109
Бектуреева Г.У., Сабырова Г.Қ., Жылысбаева А.Н., Есенбай М.Б., Керимбекова З.М., Пірманова А.М., Шапалов Ш.К. Енбек жағдайларын және жұмыс орындарын эргономикалық параметрлерін жетілдіру арқылы «ҚАЗТРАНСГАЗ» АҚ қызметкерлерінің қауіпсіздігін қамтамасыз ету және ұйымдастыру-техникалық іс-шараларды жүзеге асыру.....	114

**СОДЕРЖАНИЕ**

<i>Тукибаева А.С., Табиши Л., Богуслава Л., Абылқасымов Н., Сапарбекова С.</i> Исследование синтеза новых диподал системы, содержащих сопряженные пиридиний - иминовые остатки.....	5
<i>Алибеков Р.С., Сикорский М., Уразбаева К.А., Габрильянц Э.А.</i> Физико-химическое исследование макро- и микроэлементного состава обогащенных макаронных продуктов.....	13
<i>Баешов А.Б., Сражанова А.Б., Баешова А.К., Тургумбаева Р.Х., Егебаева С.С.</i> Создание химического источника тока на основе гальванической пары «свинец-графит» в сернокислой среде.....	21
<i>Абильдин Т.С., Василина Г.К., Елубай М.А., Сулейменов М.А., Мухитов К., Кажибаева М., Жаркенова Д.</i> Гидрирование Ароматических моно-, динитрилов на промотированных никелевых катализаторах под давлением водорода.....	29
<i>Kasenov B.K., Sagintaeva Zh.I., Kasenova Sh.B., Kuanyshbekov E.E.</i> Investigation of some electrophysical properties of zincato-manganites $\text{LaMe}_2\text{ZnMnO}_6$ (Me-Mg, Ca, Sr, Ba) .....	37
<i>Масалимова Б.К., Калмаханова М.С.</i> Парциальное окисление пропан-бутановой смеси до акролеина наnanoструктурных катализаторах.....	46
<i>Стациук В.Н., Фогель Л.А., Болд, А.</i> Циклические вольтамперные кривые железного электрода с фосфатным покрытием.....	52
<i>Стациук В.Н., Фогель Л.А., Айт С., Болд А.</i> Электродные процессы в области потенциалов активного растворения Железа.....	60
<i>Кедельбаев Б.Ш., Есимова А.М., Кудасова Д.Е., Рысбаева Г.С., Нарымбаева З.К.</i> Разработка оптимальных каталитических систем для получения ксилита из полисахаридов пивной дробины .....	68
<i>Сас С.С., Сабитова И.Ж., Масенова А.Т., Кензин Н.Р., Рахметова К.С., Усенов А.К., Комашко Л.В., Яскевич В.И.</i> Разработка платиновых катализаторов блочного типа для глубокого окисления углеводородов. Сообщение 1.....	73
<i>Суербаев Х.А., Кудайбергенов Н.Ж., Есенжанова Н.Р., Кожахмет М.К., Гайни А.</i> Щелочные соли алкилугольных кислот как карбоксилирующие реагенты фенолов и нафтолов.....	79
<i>Леска Б., Табиши Л., Тукибаева А.С., Абылқасымов Н., Сапарбаева С.</i> Получение самоорганизующихся органо-кремниевых монослоёв анионных лиганд на металлических поверхностях (золота, серебра) и исследование зависимости их свойств от комплексных ионов.....	94
<i>Фазылов С.Д., Сатпаева Ж.Б., Карипова Г.Ж., Татеева А.Б., Мулдахметов М.З., Аринова А.Е., Даутова З.С.</i> Влияние микроволнового облучения на экстракционный выход гуминовых и битуминозных веществ из бурых углей.....	103
<i>Шейх-Али А.Д., Ауезов А.Б., Молдахметова М.Н., Омарова Т.А.</i> Влияние магнитного поля на реологические свойства парафиновой нефти.....	109
<i>Бектуреева Г.У., Сабырова Г.К., Жылысбаева А.Н., Есенбай М.Б., Керимбекова З.М., Пирманова А.М., Шапалов Ш.К.</i> Улучшение условий и охраны труда работников АО «КАЗТРАНСГАЗ» путем совершенствования эргономических параметров рабочих мест и внедрения организационно-технических мероприятий.....	114

**CONTENTS**

<i>Tukibayeva A., Tabisz L., Łęska B., Abylkasymov N., Saparbayeva S.</i> Research of synthesis of novel dipodal systems containing conjugated pyridinium – imine motifs.....	5
<i>Alibekov R.S., Sikorski M., Urazbayeva K.A., Gabrilyants E.A.</i> Physico-chemical study of macro - and microelement composition of the enriched macaroni products.....	13
<i>Bayeshov A.B., Srashanova A.B., Bayeshova A.K., Turgumbayeva R.Kh., Yegeubayeva S.S.</i> Creation of chemical source of current on the basis of galvanic pair "lead-graphite" in sulfuric medium.....	21
<i>Abildin T.S., Vasilina G.K., Elubay M.A., Suleymanov M.A., Mukhitov K., Kazhbaeva M., Zharkenova D.</i> Hydrogenation of aromatic mono-, dinitriles on promoted nikel catalysts under hydrogen pressure.....	29
<i>Қасенов Б.Қ., Сағынтаева Ж.И., Қасенова Ш.Б., Куанышбеков Е.Е.</i> LaMe <sub>2</sub> ZnMnO <sub>6</sub> (Me – Mg, Ca, Sr, Ba) Цинкат-манганииттерінің кейбір электрфизикалық қасиеттерін зерттеу.....	37
<i>Massalimova B.K., Kalmakhanova M.S.</i> Partial oxidation of propan-butane mixture to akrolein over nanostructural catalysts.....	46
<i>Statsjuk V.N., Fogel L.A., Bold A., Sultanbek U.</i> Cyclic voltammetric curves of iron electrode with phosphate coating.....	52
<i>Statsjuk V.N., Fogel L.A., Ait S., Bold A.</i> Electrode processes with potentials of active dissolution of iron.....	60
<i>Kedelbayev B.Sh., Yessimova A.M., Kudassova D.E., Rysbayeva G.S., Narymbaeva Z.K.</i> Development of optimal catalyst systems for the production of xylitol from beer pellet polysaccharides .....	68
<i>Sass A.S., Sabitova I.Zh., Massenova A.T., Kenzin N.R., Rakhatmetova K.S., Ussenov A.K., Komashko L.V., Yaskevich V.I.</i> Development of block type platinum catalysts for deep oxidation of hydrocarbons.....	73
<i>Suerbaev Kh.A., Kudaibergenov N.Zh., Yesenzhanova N.R., Kozhakhmet M.K., Gaini A.</i> Alkaline salts of alkyl carbonic acids as carboxylation reagents of phenols and naphthols.....	79
<i>Łęska B., Tabisz L., Tukibayeva A., Abylkasymov N.<sup>2</sup>, Saparbayeva S.</i> Obtainment of self-assembling organosilicon monolayers of anionic ligands on metallic surfaces (gold, silver) and investigation of their properties' dependency on complexed ion.....	94
<i>Fazylov S.D., Satpaeva Zh.B., Karipova G.Zh., Tateyeva A.B., Muldachmetov M.Z., Arinova A.E., Dautova Z.S.</i> Influence of microwave irradiation on the extraction output of humin and bituminous substances from brown coals.....	103
<i>Sheikh-Ali A.D., Auezov A.B., Moldakhmetova M.N., Omarova T.A.</i> The influence of magnetic field on the rheological properties of wax oils.....	109
<i>Bekturyeva G.U., Sabirova G.K., Jilisbaeva A.N., Esenbay M.B., Kerimbekova Z.M., Pirmanova A.M. Shapalov Sh.K.</i> The organization of implementation technical measures of ergonomics parameters on working conditions improvement of employees jsc "kaztransgas".....	114

## **Publication Ethics and Publication Malpractice in the journals of the National Academy of Sciences of the Republic of Kazakhstan**

For information on Ethics in publishing and Ethical guidelines for journal publication see <http://www.elsevier.com/publishingethics> and <http://www.elsevier.com/journal-authors/ethics>.

Submission of an article to the National Academy of Sciences of the Republic of Kazakhstan implies that the described work has not been published previously (except in the form of an abstract or as part of a published lecture or academic thesis or as an electronic preprint, see <http://www.elsevier.com/postingpolicy>), that it is not under consideration for publication elsewhere, that its publication is approved by all authors and tacitly or explicitly by the responsible authorities where the work was carried out, and that, if accepted, it will not be published elsewhere in the same form, in English or in any other language, including electronically without the written consent of the copyright-holder. In particular, translations into English of papers already published in another language are not accepted.

No other forms of scientific misconduct are allowed, such as plagiarism, falsification, fraudulent data, incorrect interpretation of other works, incorrect citations, etc. The National Academy of Sciences of the Republic of Kazakhstan follows the Code of Conduct of the Committee on Publication Ethics (COPE), and follows the COPE Flowcharts for Resolving Cases of Suspected Misconduct ([http://publicationethics.org/files/u2/New\\_Code.pdf](http://publicationethics.org/files/u2/New_Code.pdf)). To verify originality, your article may be checked by the Cross Check originality detection service <http://www.elsevier.com/editors/plagdetect>.

The authors are obliged to participate in peer review process and be ready to provide corrections, clarifications, retractions and apologies when needed. All authors of a paper should have significantly contributed to the research.

The reviewers should provide objective judgments and should point out relevant published works which are not yet cited. Reviewed articles should be treated confidentially. The reviewers will be chosen in such a way that there is no conflict of interests with respect to the research, the authors and/or the research funders.

The editors have complete responsibility and authority to reject or accept a paper, and they will only accept a paper when reasonably certain. They will preserve anonymity of reviewers and promote publication of corrections, clarifications, retractions and apologies when needed. The acceptance of a paper automatically implies the copyright transfer to the National Academy of Sciences of the Republic of Kazakhstan.

The Editorial Board of the National Academy of Sciences of the Republic of Kazakhstan will monitor and safeguard publishing ethics.

Правила оформления статьи для публикации  
в журнале смотреть на сайте:

www:nauka-nanrk.kz

<http://www.chemistry-technology.kz/index.php/ru/>

**ISSN 2518-1491 (Online), ISSN 2224-5286 (Print)**

Редакторы: *M. С. Ахметова, Т. А. Апендиев, Д.С. Аленов*  
Верстка на компьютере *А.М. Кульгинбаевой*

Подписано в печать 25.05.2017.  
Формат 60x881/8. Бумага офсетная. Печать – ризограф.  
7,3 п.л. Тираж 300. Заказ 3.

---

*Национальная академия наук РК  
050010, Алматы, ул. Шевченко, 28, т. 272-13-18, 272-13-19*