

ISSN 2518-1491 (Online),  
ISSN 2224-5286 (Print)

ҚАЗАҚСТАН РЕСПУБЛИКАСЫ  
ҰЛТТЫҚ ҒЫЛЫМ АКАДЕМИЯСЫНЫҢ

# Х А Б А Р Л А Р Ы

## ИЗВЕСТИЯ

НАЦИОНАЛЬНОЙ АКАДЕМИИ НАУК  
РЕСПУБЛИКИ КАЗАХСТАН

## NEWS

OF THE ACADEMY OF SCIENCES  
OF THE REPUBLIC OF KAZAKHSTAN

### ХИМИЯ ЖӘНЕ ТЕХНОЛОГИЯ СЕРИЯСЫ

◆  
**СЕРИЯ**  
**ХИМИИ И ТЕХНОЛОГИИ**  
◆  
**SERIES**  
**CHEMISTRY AND TECHNOLOGY**

**4 (424)**

ШІЛДЕ – ТАМЫЗ 2017 Ж.  
ИЮЛЬ – АВГУСТ 2017 Г.  
JULY – AUGUST 2017

1947 ЖЫЛДЫҢ ҚАҢТАР АЙЫНАН ШЫҒА БАСТАҒАН  
ИЗДАЕТСЯ С ЯНВАРЯ 1947 ГОДА  
PUBLISHED SINCE JANUARY 1947

ЖЫЛЫНА 6 РЕТ ШЫҒАДЫ  
ВЫХОДИТ 6 РАЗ В ГОД  
PUBLISHED 6 TIMES A YEAR

АЛМАТЫ, ҚР ҰФА  
АЛМАТЫ, НАН РК  
ALMATY, NAS RK

Бас редакторы  
х.ғ.д., проф., КР ҮФА академигі **М.Ж. Жұрынов**

Редакция алқасы:

**Ағабеков В.Е.** проф., академик (Белорус)  
**Волков С.В.** проф., академик (Украина)  
**Воротынцев М.А.** проф., академик (Ресей)  
**Газалиев А.М.** проф., академик (Қазақстан)  
**Ергожин Е.Е.** проф., академик (Қазақстан)  
**Жармағамбетова А.К.** проф. (Қазақстан), бас ред. орынбасары  
**Жоробекова Ш.Ж.** проф., академик (Қырғыстан)  
**Итқұлова Ш.С.** проф. (Қазақстан)  
**Манташян А.А.** проф., академик (Армения)  
**Пралиев К.Д.** проф., академик (Қазақстан)  
**Баешов А.Б.** проф., академик (Қазақстан)  
**Бұркітбаев М.М.** проф., академик (Қазақстан)  
**Джусипбеков У.Ж.** проф. корр.-мүшесі (Қазақстан)  
**Молдахметов М.З.** проф., академик (Қазақстан)  
**Мансуров З.А.** проф. (Қазақстан)  
**Наурызбаев М.К.** проф. (Қазақстан)  
**Рудик В.** проф., академик (Молдова)  
**Рахимов К.Д.** проф. академик (Қазақстан)  
**Стрельцов Е.** проф. (Белорус)  
**Тәшімов Л.Т.** проф., академик (Қазақстан)  
**Тодераш И.** проф., академик (Молдова)  
**Халиков Д.Х.** проф., академик (Тәжікстан)  
**Фарзалиев В.** проф., академик (Әзірбайжан)

**«КР ҮФА Хабарлары. Химия және технология сериясы».**

**ISSN 2518-1491 (Online),**

**ISSN 2224-5286 (Print)**

Меншіктенуші: «Қазақстан Республикасының Үлттық ғылым академиясы» Республикалық қоғамдық бірлестігі (Алматы қ.)

Қазақстан республикасының Мәдениет пен ақпарат министрлігінің Ақпарат және мұрагат комитетінде 30.04.2010 ж. берілген №1089-Ж мерзімдік басылым тіркеуіне қойылу туралы куәлік

Мерзімділігі: жылдан 6 рет.

Тиражы: 300 дана.

Редакцияның мекенжайы: 050010, Алматы қ., Шевченко көш., 28, 219 бөл., 220, тел.: 272-13-19, 272-13-18,  
[www.nauka-nanrk.kz](http://www.nauka-nanrk.kz) / [chemistry-technology.kz](http://chemistry-technology.kz)

---

© Қазақстан Республикасының Үлттық ғылым академиясы, 2017

Типографияның мекенжайы: «Аруна» ЖК, Алматы қ., Муратбаева көш., 75.

Г л а в н ы й р е д а к т о р  
д.х.н., проф., академик НАН РК **М. Ж. Журинов**

Р е д а к ц и о н на я кол л е г и я:

**Агабеков В.Е.** проф., академик (Беларусь)  
**Волков С.В.** проф., академик (Украина)  
**Воротынцев М.А.** проф., академик (Россия)  
**Газалиев А.М.** проф., академик (Казахстан)  
**Ергожин Е.Е.** проф., академик (Казахстан)  
**Жармагамбетова А.К.** проф. (Казахстан), зам. гл. ред.  
**Жоробекова Ш.Ж.** проф., академик (Кыргызстан)  
**Иткулова Ш.С.** проф. (Казахстан)  
**Манташян А.А.** проф., академик (Армения)  
**Пралиев К.Д.** проф., академик (Казахстан)  
**Баешов А.Б.** проф., академик (Казахстан)  
**Буркитбаев М.М.** проф., академик (Казахстан)  
**Джусипбеков У.Ж.** проф. чл.-корр. (Казахстан)  
**Мулдахметов М.З.** проф., академик (Казахстан)  
**Мансуров З.А.** проф. (Казахстан)  
**Наурызбаев М.К.** проф. (Казахстан)  
**Рудик В.** проф., академик (Молдова)  
**Рахимов К.Д.** проф. академик (Казахстан)  
**Стрельцов Е.** проф. (Беларусь)  
**Ташимов Л.Т.** проф., академик (Казахстан)  
**Тодераш И.** проф., академик (Молдова)  
**Халиков Д.Х.** проф., академик (Таджикистан)  
**Фарзалиев В.** проф., академик (Азербайджан)

«Известия НАН РК. Серия химии и технологии».

ISSN 2518-1491 (Online),

ISSN 2224-5286 (Print)

Собственник: Республиканское общественное объединение «Национальная академия наук Республики Казахстан» (г. Алматы)

Свидетельство о постановке на учет периодического печатного издания в Комитете информации и архивов Министерства культуры и информации Республики Казахстан №10893-Ж, выданное 30.04.2010 г.

Периодичность: 6 раз в год

Тираж: 300 экземпляров

Адрес редакции: 050010, г. Алматы, ул. Шевченко, 28, ком. 219, 220, тел. 272-13-19, 272-13-18,  
<http://nauka-nanrk.kz> / chemistry-technology.kz

---

© Национальная академия наук Республики Казахстан, 2017

Адрес редакции: 050100, г. Алматы, ул. Кунаева, 142,  
Институт органического катализа и электрохимии им. Д. В. Сокольского,  
каб. 310, тел. 291-62-80, факс 291-57-22, e-mail:orgcat@nursat.kz

Адрес типографии: ИП «Аруна», г. Алматы, ул. Муратбаева, 75

Editor in chief  
doctor of chemistry, professor, academician of NAS RK **M.Zh. Zhurinov**

Editorial board:

**Agabekov V.Ye.** prof., academician (Belarus)  
**Volkov S.V.** prof., academician (Ukraine)  
**Vorotyntsev M.A.** prof., academician (Russia)  
**Gazaliyev A.M.** prof., academician (Kazakhstan)  
**Yergozhin Ye.Ye.** prof., academician (Kazakhstan)  
**Zharmagambetova A.K.** prof. (Kazakhstan), deputy editor in chief  
**Zhorobekova Sh.Zh.** prof., academician (Kyrgyzstan)  
**Itkulova Sh.S.** prof. (Kazakhstan)  
**Mantashyan A.A.** prof., academician (Armenia)  
**Praliyev K.D.** prof., academician (Kazakhstan)  
**Bayeshov A.B.** prof., academician (Kazakhstan)  
**Burkitbayev M.M.** prof., academician (Kazakhstan)  
**Dzhusipbekov U.Zh.** prof., corr. member (Kazakhstan)  
**Muldakhmetov M.Z.** prof., academician (Kazakhstan)  
**Mansurov Z.A.** prof. (Kazakhstan)  
**Nauryzbayev M.K.** prof. (Kazakhstan)  
**Rudik V.** prof., academician (Moldova)  
**Rakhimov K.D.** prof., academician (Kazakhstan)  
**Streltsov Ye.** prof. (Belarus)  
**Tashimov L.T.** prof., academician (Kazakhstan)  
**Toderash I.** prof., academician (Moldova)  
**Khalikov D.Kh.** prof., academician (Tadzhikistan)  
**Farzaliyev V.** prof., academician (Azerbaijan)

**News of the National Academy of Sciences of the Republic of Kazakhstan. Series of chemistry and technology.**

**ISSN 2518-1491 (Online),**

**ISSN 2224-5286 (Print)**

Owner: RPA "National Academy of Sciences of the Republic of Kazakhstan" (Almaty)

The certificate of registration of a periodic printed publication in the Committee of Information and Archives of the Ministry of Culture and Information of the Republic of Kazakhstan N 10893-Ж, issued 30.04.2010

Periodicity: 6 times a year

Circulation: 300 copies

Editorial address: 28, Shevchenko str., of. 219, 220, Almaty, 050010, tel. 272-13-19, 272-13-18,  
<http://nauka-nanrk.kz> / [chemistry-technology.kz](http://chemistry-technology.kz)

---

© National Academy of Sciences of the Republic of Kazakhstan, 2017

Editorial address: Institute of Organic Catalysis and Electrochemistry named after D. V. Sokolsky  
142, Kunayev str., of. 310, Almaty, 050100, tel. 291-62-80, fax 291-57-22,  
e-mail: [orgcat@nursat.kz](mailto:orgcat@nursat.kz)

Address of printing house: ST "Aruna", 75, Muratbayev str, Almaty

**NEWS**

OF THE NATIONAL ACADEMY OF SCIENCES OF THE REPUBLIC OF KAZAKHSTAN

**SERIES CHEMISTRY AND TECHNOLOGY**

ISSN 2224-5286

Volume 4, Number 424 (2017), 5 – 12

UDC 541.135

**G.K. Bishimbayeva<sup>1</sup>, G.F. Prozorova<sup>2</sup>, D.S. Zhumabayeva<sup>1</sup>,  
S.A. Korzhova<sup>2</sup>, Mazyar<sup>2</sup> I.V., <sup>1</sup>A.M. Nalibayeva, <sup>1</sup>U.O. Kydyrbayeva**

<sup>1</sup>D.V. Sokolskiy Institute of Fuel, Catalysis & Electrochemistry, Almaty, Kazakhstan;

<sup>2</sup>A.E. Favorsky Irkutsk Institute of Chemistry, Siberian Branch of the Russian Academy of Sciences, Irkutsk, Russia

E-mail: [g.bishimbayeva@ifce@kz](mailto:g.bishimbayeva@ifce@kz)

## **SYNTHESIS OF HIGH-SULFUR POLYMERS BASED ON THE TENGIZ SULFUR COPOLYMERIZATION WITH ANILINE**

**Abstract.** The article describes the technique developed by the authors for the synthesis of high-sulfur polymers, based on the copolymerization of Tengiz sulfur with aniline. The sulfur was introduced into the reaction mixture in a colloidal form. Colloidal activated sulfur was prepared in situ from sodium polysulphides  $\text{Na}_2\text{S}_x$ , ( $x = 4.0\text{--}4.5$ ), obtained from  $\text{Na}_2\text{S}\cdot9\text{H}_2\text{O}$ . Synthesis of new sulfur and aniline copolymers was carried out in the presence of oxidation systems:  $\text{H}_2\text{O}_2 / \text{FeCl}_3 / \text{HCl}$ ,  $\text{H}_2\text{O}_2 / \text{FeSO}_4 / \text{H}_2\text{SO}_4$  and  $\text{K}_2\text{Cr}_2\text{O}_7(\text{H}_2\text{O}_2) / \text{HCl}$ . Depending on the reaction conditions, the nature of the oxidation system, the addition of gelatin or surfactant to the reaction mixture, sulfur-aniline polymers with a high sulfur content were obtained: from 63.8 to 89.4%. Conditions for carrying out the reaction have been found, which make it possible to vary the sulfur content of the obtained materials. The physico-chemical properties and microstructures of the obtained high-sulfur aniline-based polymers were also studied. The synthesized polymers have a high sulfur heat resistance, semiconducting properties, a developed surface morphology and are promising for the development of modern cathode active materials of rechargeable lithium power sources.

**Key words:** Tengiz sulfur, lithium-sulfur batteries, copolymerization, aniline, sulfur.

### **Introduction**

The rapid growth of oil and gas production in the last decades has led to an increase in the production of petroleum sulfur, as it is a large-scale by-product of oil and gas processing. In Kazakhstan, only at the Tengiz gas processing plant, 2-3 million tons of sulfur are produced per year as a result of primary oil refining from associated components, which resulted in the accumulation of more than 10 million sulfur tons in the Tengiz field at the sulfur storage site. The inevitable consequence of this is the technogenic impact on environmental objects [1, 2]. From this perspective, the actual task is the development of modern utilization ways of Tengiz sulfur into new polymeric sulfur composites, possessing a number of valuable properties that will increase the world demand for elemental sulfur. The unique properties of sulfur and its polymer compositions, special properties of which, depending on the modifying conditions and composition of the polymer composition, led to the search for new "science intensive" technologies that ensure the economic and environmental feasibility of their application in various industries.

One of the new research areas in polymer sulfur technology is the creation of electroconductive, electrochemically active polymeric sulfur composites for use as cathode materials for lithium-sulfur batteries [3-20].

Lithium-sulfur batteries were first shown to the world public by Sion Power company in 2004. Even then, such batteries were much more efficient than current lithium-ion batteries. The main distinguishing features of these drives can be called a less expensive production, as well as more than double the increased capacity compared with the analogue. This type of battery is called Li-S. Prospective of lithium-sulfur current sources is due to high values of their theoretical specific energy (2500 W·h/kg), low cost and environmental safety. In terms of their energy intensity, they outperform other chemical sources

of current 2.5-5 times. Overseas work on the creation of lithium-sulfur current sources intensively was conducted in the United States, South Korea, China, Japan, Russia [14-20].


### Experimental

In order to develop original methods for the production of new high-sulfur polymers based on aniline and elemental sulfur (Tengizchevroil company), the work authors have studied the oxidation-reduction processes of elemental sulfur copolymerization with aniline, leading to the formation of colloidal cross-linked polymers. New high-sulfur polymers with thermal stability, electrical conductivity, developed morphological surface, promising as electrochemically active cathode materials of modern lithium batteries are obtained.

Colloidal cross-linked copolymers were synthesized by redox sulfur copolymerization with aniline. The sulfur was introduced into the reaction mixture in a colloidal form. The colloid activated sulfur was prepared by in situ from sodium polysulfides  $\text{Na}_2\text{S}_x$ , ( $x = 4.0\text{-}4.5$ ), obtained from  $\text{Na}_2\text{S}\cdot 9\text{H}_2\text{O}$ .


Synthesis of new sulfur and aniline copolymers was carried out in the presence of oxidation systems:  $\text{H}_2\text{O}_2 / \text{FeCl}_3 / \text{HCl}$ ,  $\text{H}_2\text{O}_2 / \text{FeSO}_4 / \text{H}_2\text{SO}_4$  (Scheme 1).

Scheme 1



In combination with the use of sodium polysulfides in oxidation-reduction reactions, the synthesis of high-sulfur aniline-based polymers was carried out directly by oxidation of aniline with powdered sulfur in the presence of the oxidation system  $\text{K}_2\text{Cr}_2\text{O}_7$  ( $\text{H}_2\text{O}_2$ ) /  $\text{HCl}$  (Scheme 2).

Scheme 2



As a result of redox copolymerization of aniline with sulfur, sulfur-aniline polymers are synthesized in the form of powders from light brown to black.

The composition of the obtained copolymers was determined by elemental analysis of the automatic analyzer «ThermoFinniganFlash EA» 1112 (Table 1).


Table 1 - Element composition and melting temperature of polymers based on aniline and elemental sulfur


№	Sample cipher	Elemental analysis					T <sub>melting</sub> , °C
		C	H	N	S	Cl	
1	An-Kz-1	9.7	0.4	1.3	80.4	-	190-240
2	An-Kz-2	10.8	0.4	1.5	82.6	1.0	122-240
3	An-Kz-3	6.8	0.4	1.2	79.5	1.1	124-240
4	An-Kz-4	8.5	0.4	1.4	89.2	0.8	165-260
5	An-Kz-5	6.7	0.3	0.7	80.2	-	120-240
6	An-Kz-6	2.1	0.1	0.3	80.2	0.6	125-260
7	An-Kz-7	2.7	0.2	0.2	89.4	-	110-120
8	An-Kz-8	5.8	0.2	0.4	87.6	-	120-220
9	An-Kz-9	4.7	0.3	0.5	84.9	-	124-230
10	An-Kz-10	2.7	0.1	0.3	63.8	-	123-230
11	An-Kz-11	6.8	0.3	0.9	78.8	7.7	124-230

Depending on the reaction conditions, the nature of the oxidation system, the addition of gelatin or surfactant to the reaction mixture, sulfur-aniline polymers with a high sulfur content were obtained: from 63.8 to 89.4 %. The physico-chemical properties of the obtained high-sulfur aniline-based polymers were also studied. The infrared spectra of the samples were recorded on a BrukerVertex 70 spectrometer in the 400-4000 cm<sup>-1</sup> region (in KBr tablets). Thermogravimetric analysis of the samples was performed on a Q-1500 derivatograph of the Paulik-Paulik-Erdei system (MOM, Hungary), the sample weight was 50 mg, the DTA sensitivity was 1/5, and the heating rate was 10 °C / min. The specific electric conductivity of the copolymers was measured on a direct current using a standard «E6-13A» terameter. The test samples were prepared in the form of tablets by pressing under a pressure of 700 kg / cm<sup>2</sup>.

In the IR spectra of high-sulfur aniline-based polymers (Table 2), there are characteristic absorption bands (cm<sup>-1</sup>): 1578, 1498 (ν, C=C polyaniline chains); 1375 (δ, C=C-H); 1301 (ν, O=S=O); 1239 (ν, C=S, ν, C-N); 1145 (ν, O=S=O); 1014 (ν, O=S); 883, 826 (δ, C=C-H); 618, 582, 506 (ν, C-S); 468 (ν, S-S).

Table 2 - IR spectra of high-sulfur aniline-based polymers






When studying the electrical conductivity of the obtained high-sulfur aniline-based polymers, it was found that they have a specific electrical conductivity of the  $10^{-6}\text{-}10^{-13}$  S / cm order, corresponding to high-resistance organic semiconductors (Table 3).


Table 3 - Specific electrical conductivity ( $\sigma$ ) and thermogravimetric analysis data of high-sulfur aniline-based polymers

No	Sample cipher	S content, %	The onset temperature of the thermooxidative degradation, °C	$\sigma$ , S/cm
1	An-Kz-1	80.39	~210	$8.1\cdot10^{-6}$
2	An-Kz-2	82.58	~230	$7.4\cdot10^{-6}$
3	An-Kz-3	79.47	~220	$9.1\cdot10^{-8}$
4	An-Kz-4	89.20	~210	$1.2\cdot10^{-7}$
5	An-Kz-5	80.19	~230	$2.3\cdot10^{-7}$
6	An-Kz-6	80.23	~220	$2.5\cdot10^{-14}$
7	An-Kz-7	89.35	~230	$4.2\cdot10^{-13}$
8	An-Kz-8	87.59	~230	$5.6\cdot10^{-12}$
9	An-Kz-9	84.93	~220	$4.8\cdot10^{-13}$
10	An-Kz-10	63.78	~220	$5.1\cdot10^{-7}$

According to the results of thermogravimetric analysis, the polymers obtained have a high resistance to thermal-oxidative degradation (up to 210-230 °C) (Table 3, 4).

Table 4 - Curves of thermogravimetric analysis of high-sulfur aniline-based polymers






In order to perform comparative studies of the high-synthesized polymers microstructure based on aniline used X-ray dispersive spectral microanalysis method using an electronic microscope TM 3000 Hitachi.

Typical micrographs of the obtained high-sulfur copolymers are shown in Table 5.

Table 5 - Micrographs of high-sulfur aniline-based polymers



The obtained results indicate that the synthesized copolymers have a developed microstructure, with rather small sizes of narrow polydispersity microparticles. The An-Kz-1 copolymer is characterized by the smallest particle sizes in the range of 587 nm to 1.10  $\mu\text{m}$ . Almost the same particle sizes, copolymers An-Kz-2, An-Kz-3 and An-Kz-7 were obtained. Somewhat larger than the particle (up to 755 nm - 2.36  $\mu\text{m}$ ) are formed in the synthesis of an aniline-sulfur An-Kz-4 copolymer using the  $\text{H}_2\text{O}_2/\text{FeCl}_3/\text{HCl}$  oxidation system and the addition of gelatin to the reaction mixture.

### Conclusion

Technological methods for the synthesis of high-sulfur polymers based on the elemental sulfur redox copolymerization with aniline have been developed. Conditions for carrying out the reaction have been found, which make it possible to vary the sulfur content of the obtained materials. It has been established that synthesized high-sulfur polymers have thermal stability, semiconductor properties, developed surface morphology and are promising for the development of active cathode materials of modern rechargeable lithium current sources.

### REFERENCES

- [1] Savin E. D., Frolova N. G., Nedel'kin V. I. Polimernaja sera: nauchnyj i prakticheskij aspekty. / Jelektronnyj resurs. Rezhim dostupa <http://www.chem. Msu. Su/rus/journals/ xr/sera.html> (in Russ.).
- [2] Bishimbayeva G.K., Umbetova Sh.M., Sartaev D.T. *Vestnik KazNTU Himiko-metallurgicheskie nauki*. **2015**, 4, 529-535 (in Russ.).
- [3] Trofimov B.A., Myachina (Prozorova) G.F., Rodionova I.V., Mal'kina A.G., Dorofeev I.A., Vakul'skaya T.I., Sinegovskaya L.M., Skotheim T.A. *J. Applied Polymer Science*. **2008**, 107, 2, 784-787. DOI: 10.1002/app.27162 (in Eng.).
- [4] Trofimov B.A., Mihaleva A.I., Mjachina (Prozorova) G.F., Mal'kina A.G. i dr. (**2006**) Gibridnye trehmernye sopolimery sery, vkljuchajushchie provodjashchie polimernye bloki i ih kompozicii s seroj, primenjaemye v kachestve katodnyh materialov. Patent of the Russian Federation [Patent Rossiyskoy Federatsii] (in Russ.).
- [5] Abdel-Mohsen O. Mohamed, Maisa El Gamal. *Cement & Concrete Composites*. **2009**, 31 186–194.
- [6] Fuji Jukogyo, Kabushiki Kaisya, Mitsui Bussan, Noboru Oyama (**2007**). Method of producing sulfur-containing aromatic polymer. Patent of the California.
- [7] Jun Liu, Yuliang Cao, Lifen. (**2013**) Polymer-sulfur composite materials for electrodes in Li-S energy storage. Patent of the United States of America [Patent Soedinenyykh Shtatov Ameriki] (in Russ.).
- [8] Wang H. Wu, Z. Chen, M.T. McDowell, Y. Cui, Z. Bao. *J. Nat. Chem.* **2013**, 5 1042-1048. DOI: 10.1038/NCHEM.1802.
- [9] Corjova S.A, Trofimov B.A, Malkina A.G, Nosyreva V.V, Prozorova G.F. (**2011**) Cathode active materials for lithium batteries, including composition, consisting of colloidal crosslinked copolymers based on sulfur and aniline. Patent of the Russian Federation [Patent Rossiyskoy Federatsii] (in Russ.).
- [10] Dongmei Han, Bin Zhang, Min Xiao, Peikang Shen, Shuanjin Wang, Guohua Chen, Yuezhong Meng. *International Journal of Hydrogen Energy*. (**2014**) DOI:10.1016/j.ijhydene (in Eng.).
- [11] Sun Z., Xiao, M., Wang S., Han, D., Song S., Chen G., Meng Y. *Journal of Materials Chemistry*. **2014**, 2, 9280-9286.DOI:10.1039/c4ta00779d (inEng.).
- [12] F. Wu, S. Wu, R. Chen, J. Chen, S. Chen. Sulfur-polythiophene composite cathode materials for rechargeable lithium batteries. *Electrochim. Solid-State Lett.* **2010**, 13, A29-A31(in Eng.).
- [13] Y. Fu, Manthiram. *A. J. Phys. Chem.* **2012**, 116 8910-8915. DOI: /10.1021/jp300950m(in Eng.).
- [14] L. Qiu, S. Zhang, L. Zhang, M. Sun, W. Wang. *W. Cathode Material for Lithium Sulfur Batteries. Electrochim. Acta*. **2010**, DOI:10.1016/j.electacta. 03.030(in Eng.).
- [15] I. Bauer, S. Thieme, J. Brückner, H. Althues, S. Kaskel. *Journal of Power Sources*. **2014**, 251, 417-422. DOI: /10.1016/j.jpowsour.2013.11.090(in Eng.).
- [16] L. Xiao, Y. Cao, J. Xiao, B. Schwenzer, M.H. Engelhard, L.V. Saraf, Z. Nie, G.J. Exarhos, J. Liu. (2012) A Soft Approach to Encapsulate Sulfur: Polyaniline Nanotubes for Lithium-Sulfur Batteries with Long Cycle Life. *Adv. Mater.* 24 1176-1181. DOI: 10.1002/adma.201103392(in Eng.).
- [17] W. Li, G. Zheng, Y. Yang, Z.W. Seh, N. Liu, Y. Cui. High-performance hollow sulfur nanostructured battery cathode through a scalable, room temperature, one-step, bottom-up approach. *Proc. Natl. Acad. Sci.* **2013**, 110, 7148-7153. DOI: 10.1073/pnas.1220992110 (in Eng.).
- [18] Chung W.J, Griebel, J.J. Kim, E.T.Yoon, H.S.Simmonds, A.G. Pyun. (**2012**) Utilization of Elemental Sulfur as an Alternative Feedstock for Polymeric Materials: Synthesis, Processing & Electrochemistry. *Nature Chemistry*. DOI: 10.1038/NCHEM.1624 (in Eng.).
- [19] Trofimov B.A., Myachina (Prozorova) G.F., Rodionova I.V., Mal'kina A.G., Dorofeev I.A., Vakul'skaya T.I., Sinegovskaya L.M., Skotheim T.A. Ethynedithiol-based polyeneoligosulfides as active cathode materials for lithium-sulfur batteries. **2008**, 107, 2, 784-787. DOI 10.1002/app.27162 (in Eng.).
- [20] Skotheim T.A., Trofimov B.A., Mal'kina A.G., Kovalev I.P. (**2001**) Electroactive High Storage Capacity [Polyacetylene-co-Polysulfur Materials Cell Containing Same]. Patent of the United States of America [Patent Soedinenyykh Shtatov Ameriki] (in Eng.).

<sup>1</sup>Г.К. Бишимбаева, <sup>2</sup>Г.Ф. Прозорова, <sup>1</sup>Д.С. Жумабаева,  
<sup>2</sup>Коржова С.А., <sup>2</sup>И.В. Мазяр, А.М. <sup>1</sup>Налибаева, <sup>1</sup>У.О. Кыдырбаева

<sup>1</sup>АО «Институт топлива, катализа и электрохимии им. Д.В.Сокольского»;  
<sup>2</sup>Иркутский институт химии имени А.Е. Фаворского Сибирского отделения Российской академии наук,  
г. Иркутск, Россия

## **СИНТЕЗ ВЫСОКОСЕРНИСТЫХ ПОЛИМЕРОВ, ОСНОВАННЫЙ НА СОПОЛИМЕРИЗАЦИИ ТЕНГИЗКОЙ СЕРЫ С АНИЛИНОМ**

**Аннотация.** В статье описывается разработанная авторами методика синтеза высокосернистых полимеров, основанная на сополимеризации Тенгизской серы с анилином. Серу вводили в реакционную смесь в коллоидной форме. Коллоидную активированную серу получали *in situ* из полисульфидов натрия  $\text{Na}_2\text{S}_x$ , ( $x=4.0-4.5$ ), полученного из  $\text{Na}_2\text{S}\cdot 9\text{H}_2\text{O}$ . Синтез новых сополимеров серы и анилина осуществляли в присутствии окислительных систем:  $\text{H}_2\text{O}_2/\text{FeCl}_3/\text{HCl}$ ,  $\text{H}_2\text{O}_2/\text{FeSO}_4/\text{H}_2\text{SO}_4$  и  $\text{K}_2\text{Cr}_2\text{O}_7$  ( $\text{H}_2\text{O}_2/\text{HCl}$ ). В зависимости от условий реакции, природы окислительной системы, добавления в реакционную смесь желатина или ПАВ получены серо-анилиновые полимеры с высоким содержанием серы: от 63.8 до 89.4%. Найдены условия проведения реакции, позволяющие варьировать содержание серы в полученных материалах. Были также изучены физико-химические свойства и микроструктуры полученных высокосернистых полимеров на основе анилина. Установлено, что синтезированные высокосернистые полимеры обладают термостойкостью, полупроводниковыми свойствами, развитой поверхностной морфологией и являются перспективными для разработки активных катодных материалов современных перезаряжаемых литиевых источников тока.

**Ключевые слова:** Тенгизская сера, литий-серные батареи, сополимеризация, сера, анилин

<sup>1</sup>Г.К. Бишимбаева, <sup>2</sup>Г.Ф. Прозорова, <sup>1</sup>Д.С. Жумабаева,  
<sup>2</sup>Коржова С.А., <sup>2</sup>И.В. Мазяр, А.М. <sup>1</sup>Налибаева, <sup>1</sup>У.О. Кыдырбаева

<sup>1</sup>Д.В. Сокольский атындағы Жанаармай, катализ және электрохимия институты АҚ, Алматы қ., Қазақстан;  
<sup>2</sup>Ресей ғылым академиясының Сібір бөлімшесінің А.Е. Фаворский атындағы Иркутск химия институты,  
Иркутск қ., Ресей

## **ТЕҢІЗ КҮКІРТІ МЕН АНИЛИНДІ СОПОЛИМЕРЛЕУ НЕГІЗІНДЕ ЖОҒАРЫКҮКІРТТІ ПОЛИМЕРЛЕРДІ СИНТЕЗДЕУ**

**Аннотация.** Бұл макалада авторлардың құрастырған, Теніз күкірті мен анилиннің сополимерлеуінегізделген, жоғарыкүкіртті полимерлерді синтездеу әдістері суреттеледі. Күкіртті реакциялық қоспаға коллоидты түрде енгізеді. Коллоидты активтенген күкіртті *in situ* әдісі арқылы  $\text{Na}_2\text{S}\cdot 9\text{H}_2\text{O}$  алынған натрий полисульфидінен  $\text{Na}_2\text{S}_x$ , ( $x=4.0-4.5$ ) алды. Анилин мен күкірттің жаңа сополимерлерін алудағы синтезін келесідей қышқылдық жүйеде іске асырды:  $\text{H}_2\text{O}_2/\text{FeCl}_3/\text{HCl}$ ,  $\text{H}_2\text{O}_2/\text{FeSO}_4/\text{H}_2\text{SO}_4$  және  $\text{K}_2\text{Cr}_2\text{O}_7$  ( $\text{H}_2\text{O}_2/\text{HCl}$ ). Реакция шарттары мен қышқылдық жүйенің табиғатына қарай, реакциялық қоспаға желатин немесе ПАВ косу арқылы жоғары құрамды күкірті бар күкірт-анилинді полимерлер алынды: 63.8% бастап 89.4% дейін. Алынған материалдардан күкірт құрамын реттеп отыратын реакцияның жүру шарттары анықталды. Сонымен қатар, анилин негізіндеі алынған жоғарыкүкіртті полимерлердің физика-химиялық қасиеттері мен микропұралылысы зерттелді. Синтезделген жоғарыкүкіртті полимерлер жылуға төзімділік пен жартылай өткізгіштік қасиеттерге, дамыған беттік морфологияға ие екені, және белсенді катодты материалдарын - жаңа заманғы қайта зарядталушы литийлі ток көздерін құрастыруға келешегі зоры анықталды.

## МАЗМУНЫ

<i>Бишимбаева Г.К., Прозорова Г.Ф., Жумабаева Д.С., Коржова С.А., Мазяр И.В., Налибаева А.М., Кыдырбаева У.О.</i> Теніз күкірті мен анилинді сополимерлеу негізінде жоғарықүкіртті полимерлерді синтездеу.....5
<i>Амантаулы К., Тунгатарова С.А., Кауменова Г.Н., Жұмабек М.</i> Метанды Mg-Mn-Co-Al катализаторлары катысында синтез газға дейін парциалды тотықтыру.....13
<i>Акбаева Д.Н., Сейханова Г.А., Бәкірова Б.С., Кенжалина Ж.Ж., Томкович М.В., Соколов В.В., Борангазиева А.К.</i> Мыс(II) хлориді және поливинилпирролидон негізіндегі кешенді қосылыстың физика-химиялық сипаттамалары.....19
<i>Ермұхамед Д., Мұсабек Г.К., Диханбаев К.К., Байғанатова Ш.Б., Сиваков В.А.</i> Жартылай өткізгіштік материалдар негізіндегі фотокатализ процесстерін зерттеу мен қолдануға қатысты заманауи жетістіктер ..... 26
<i>Есенгулова А.А., Сагиталы Ш.О., Каиралапова Г.Ж., Әбілов Ж.А., Бейсебеков М.Қ.</i> Бентонит сазы – полиакрил қышқылы негізіндегі криогельдер синтезі және олардың физика-химиялық қасиеттері..... 39
<i>Жармагамбетова А.К., Әуезханова А.С., Джумекеева А.И., Бектуров Е.А., Ахметова С.Н.</i> Циклогександы тотықтырудың бекітілген хитозан-модифицирленген мыс және темір катализаторлары..... 44
<i>Құрманғажы Г., Сыдықова А.И., Жақынбаев Б.Е., Тәжібайева С.М., Мұсабеков Қ.Б.</i> Опокалар мен олардың магниттік композиттерінің сорбциялық қасиеттері..... 51
<i>Закарина Н.А., Ақурпекова А.К., Джумабаева Л.С., Жұмадуллаев Да.А.</i> Al-Zr-Пиллариленген монтмориллонитке қондырылған Pd-катализаторлардағы n-гексан изомеризациясы..... 56
<i>Жармагамбетова Ә.К., Заманбекова А.Т., Джумекеева А.И., Тұмабаев Н.Ж.</i> Ацетилен спирттерін төмен температурада гидрлеу барысында никел катализаторларын зерттеу ..... 65
<i>Сайткулов А.К., Матаева З.Т.</i> Этоксиэтиламиналуға арналған катализдік композициялар жасау..... 73
<i>Сас С.С., Сабитова И.Ж., Масенова А.Т., Кензин Н.Р., Рахметова К.С., Усенов А.К., Кургузикова С.А.</i> Қемірсутектерді терең тотықтыруға арналған блок типтес платина катализаторларын жасау. Хабарлама 2..... 81
<i>Талғатов Э.Т., Әуезханова А.С., Тұмабаев Н.Ж., Капышева У.Н., Баҳтиярова Ш.К., Жармагамбетова Ә.К.</i> Монтмориллонит және полиэтиленгликоль негізінде гибридті энтеросорбенттерді синтездеу..... 87
<i>Ақтюн Н.А., Тілеуберді Е., Қанжарқан Е., Оңгарбаев Е.Қ.</i> Топыраққа төгілген мұнайды термиялық жолмен бөліп алу..... 96
<i>Бақтығалиев Да.О., Тілеуберді Е., Иманбаев Е.И., Мансуров З.А.</i> Қазақстан жанғыш тақтатастарының морфологиялық құрылымы мен элементтік құрамын зерттеу..... 103

**СОДЕРЖАНИЕ**

<i>Бишимбаева Г.К., Прозорова Г.Ф., Жумабаева Д.С. Коржова С.А., Мазяр И.В., Налибаева А.М., Кыдырбаева У.О.</i>	
Синтез высокосернистых полимеров, основанный на сополимеризации тенгизской серы с анилином .....	5
<i>Амантаулы К., Тунгатарова С.А., Кауменова Г.Н., Жумабек М.</i> Парциальное окисление метана в синтез-газ в присутствии Mg-Mn-Co-Al катализаторов.....	13
<i>Акбаева Д.Н., Сейлханова Г.А., Бәкірова Б.С., Кенжалина Ж.Ж., Томкович М.В., Соколов В.В., Борангазиева А.К.</i>	
Физико-химические характеристики комплекса на основе хлорида меди(II) и поливинилпирролидона.....	19
<i>Ермухамед Д., Мусабек Г.К., Диханбаев К.К., Байганатова Ш.Б., Сиваков В.А.</i> Современные достижения в области исследования и применения фотокаталитических процессов на основе полупроводниковых материалов.....	26
<i>Есенгулова А.А., Сагиталы Ш.О., Кайралапова Г.Ж., Абилов Ж.А., Бейсебеков М.К.</i> Синтез криогелей на основе бентонитовой глины-полиакриловой кислоты и их физико-химические свойства.....	39
<i>Жармагамбетова А.К., Ауезханова А.С., Джумекеева А.И., Бектуров Е.А., Ахметова С.Н.</i> Хитозан- модифицированные нанесенные медные и железные катализаторы окисления циклогексана .....	44
<i>Курмангажи Г., Сыдыкова А.И., Жакипбаев Б.Е., Тажибаева С.М., Мусабеков К.Б.</i> Сорбционные свойства опок и их магнитных композитов.....	51
<i>Закарина Н.А., Акурпекова А.К., Джумабаева Л.С., Жумадуллаев Д.А.</i> Изомеризация н-гексана на Pd-катализаторах, нанесенных на пиллярированный Al-Zr- монтмориллонит.....	56
<i>Жармагамбетова А.К., Заманбекова А.Т., Джумекеева А.И., Тумабаев Н.Ж.</i> Исследование никелевых катализаторов в низкотемпературном гидрировании ацетиленовых спиртов.....	65
<i>Сайткулов А.К., Матаева З.Т.</i> Создание каталитических композиций для синтеза алкосиэтиламинов.....	73
<i>Сас А.С., Сабитова И.Ж., Масенова А.Т., Кензин Н.Р., Рахметова К.С., Усенов А.К., Кургузикова С.А.</i> Разработка платиновых катализаторов блочного типа для глубокого окисления углеводородов (Сообщение 2).....	81
<i>Талгатов Э.Т., Ауезханова А.С., Тумабаев Н.Ж., Капышева У.Н., Бахтиярова Ш.К., Жармагамбетова А.К.</i>	
Синтезгибридных энтеросорбентовна основе монтмориллонита и полизтиленгликоля.....	87
<i>Актанов Н.А., Тилеуберди Е., Канжаркан Е., Онгарбаев Е.К.</i> Выделение нефти из нефтезагрязненных почв с использованием термического метода.....	96
<i>Бактыгалиев Д.О., Тилеуберди Е., Иманбаев Е.И., Мансуров З.А.</i> Морфологическая структура и элементный состав горючего сланца Казахстана.....	103

## CONTENTS

<i>Bishimbayeva G.K., Prozorova G.F., Zhumabayeva D.S., Korzhova S.A., Mazyar I.V., Nalibayeva A.M., Kydyrbayeva U.O.</i>	
Synthesis of high-sulfur polymers based on the tengiz sulfur copolymerization with aniline.....	5
<i>Amantaiuly K., Tungatarova S.A., Kaumenova G.N., Zhumabek M.</i> Partial oxidation of methane to synthesis gas in the presence of Mg-Mn-Co-Al catalysts.....	13
<i>Akbayeva D.N., Seilkhanova G.A., Bakirova B.S., Kenzhalina Zh.Zh., Tomkovich M.V., Sokolov V.V., Borangaziyeva A.K.</i>	19
Physicochemical characteristics of the complex on the basis of copper(II) chloride and polyvinylpyrrolidone.....	19
<i>Yermukhamed D., Mussabek G.K., Dikhanbayev K.K., Bayganatova Sh.B., Sivakov V.A.</i> Recent advances in investigation and application of photocatalytic processes based on semiconductor materials.....	26
<i>Yessengulova A.A., Sagitaly Sh.O., Kayralapova G. Zh., Abilov Zh.A., Beysebekov M.K.</i> Synthesis of cryogels on the basis of bentonite clay-polyacrylic acid and their physical-chemical properties .....	39
<i>Zharmagambetova A.K., Auyezhanova A.S., Jumekeyeva A.I., Bekturov E.A., Akhmetova S.N.</i> Chitosan-modified Supported Copper and Iron Catalysts for Cyclohexane Oxidation .....	44
<i>Kurmangazhy G., Sydkova A., Zhakipbayev B., Tazhibayeva S., Musabekov K.</i> Sorption properties of flasks and their magnetic composites.....	51
<i>Zakarina N.A., Akurpekova A.K., Djumabaeva L.S., Zhumadullaev D.A.</i> Isomerization of n-hexane over Pd-catalysts supported on Al-Zr- pillared montmorillonite.....	56
<i>Zharmagambetova A., Zamanbekova A., Jumekeyeva A., Tumabayev N.</i> Study of nickel catalysts in hydrogenation of acetylene alcohols at low-temperature.....	65
<i>Saitkulov A.K., Mataeva Z.T.</i> Creation of catalytic compositions for synthesis of etoxyethylamine.....	73
<i>Sass A.S., Sabitova I.Zh., Massenova A.T., Kenzin N.R., Rakhatmetova K.S., Ussenov A.K., Kurzukova S.A.</i> Development of block type platinum catalysts for deep oxidation of hydrocarbons (Report 2).....	81
<i>Talgatov E.T., Auezhanova A.S., Tumabaev N.Zh., Kapysheva U.N., Bakhtiyarova Sh.K., Zharmagambetova A.K.</i> Synthesis of hybrid enterosorbentsbased on montmorillonite and polyethyleneglycol.....	87
<i>Akhtanov N.A., Tileuberdi Ye., Khanzharkhan Ye., Ongarbayev Ye.K.</i> The extraction of oil from oil contaminated soils using the thermal method.....	96
<i>Bakhtigalyev D.O., Tileuberdi Ye., Imanbayev Ye.I., Mansurov Z.A.</i> Study of morphological the structure and elemental composition of kazakhstan oil shale.....	103

## **Publication Ethics and Publication Malpractice in the journals of the National Academy of Sciences of the Republic of Kazakhstan**

For information on Ethics in publishing and Ethical guidelines for journal publication see <http://www.elsevier.com/publishingethics> and <http://www.elsevier.com/journal-authors/ethics>.

Submission of an article to the National Academy of Sciences of the Republic of Kazakhstan implies that the described work has not been published previously (except in the form of an abstract or as part of a published lecture or academic thesis or as an electronic preprint, see <http://www.elsevier.com/postingpolicy>), that it is not under consideration for publication elsewhere, that its publication is approved by all authors and tacitly or explicitly by the responsible authorities where the work was carried out, and that, if accepted, it will not be published elsewhere in the same form, in English or in any other language, including electronically without the written consent of the copyright-holder. In particular, translations into English of papers already published in another language are not accepted.

No other forms of scientific misconduct are allowed, such as plagiarism, falsification, fraudulent data, incorrect interpretation of other works, incorrect citations, etc. The National Academy of Sciences of the Republic of Kazakhstan follows the Code of Conduct of the Committee on Publication Ethics (COPE), and follows the COPE Flowcharts for Resolving Cases of Suspected Misconduct ([http://publicationethics.org/files/u2/New\\_Code.pdf](http://publicationethics.org/files/u2/New_Code.pdf)). To verify originality, your article may be checked by the Cross Check originality detection service <http://www.elsevier.com/editors/plagdetect>.

The authors are obliged to participate in peer review process and be ready to provide corrections, clarifications, retractions and apologies when needed. All authors of a paper should have significantly contributed to the research.

The reviewers should provide objective judgments and should point out relevant published works which are not yet cited. Reviewed articles should be treated confidentially. The reviewers will be chosen in such a way that there is no conflict of interests with respect to the research, the authors and/or the research funders.

The editors have complete responsibility and authority to reject or accept a paper, and they will only accept a paper when reasonably certain. They will preserve anonymity of reviewers and promote publication of corrections, clarifications, retractions and apologies when needed. The acceptance of a paper automatically implies the copyright transfer to the National Academy of Sciences of the Republic of Kazakhstan.

The Editorial Board of the National Academy of Sciences of the Republic of Kazakhstan will monitor and safeguard publishing ethics.

Правила оформления статьи для публикации  
в журнале смотреть на сайте:

www:nauka-nanrk.kz

<http://www.chemistry-technology.kz/index.php/ru/>

**ISSN 2518-1491 (Online), ISSN 2224-5286 (Print)**

Редакторы: *М. С. Ахметова, Т. А. Апендиев, Д. С. Аленов*  
Верстка на компьютере *А. М. Кульгинбаевой*

Подписано в печать 15.08.2017.  
Формат 60x881/8. Бумага офсетная. Печать – ризограф.  
6,2 п.л. Тираж 300. Заказ 4.

*Национальная академия наук РК  
050010, Алматы, ул. Шевченко, 28, т. 272-13-18, 272-13-19*