

ISSN 2518-1491 (Online),
ISSN 2224-5286 (Print)

ҚАЗАҚСТАН РЕСПУБЛИКАСЫ
ҰЛТТЫҚ ҒЫЛЫМ АКАДЕМИЯСЫНЫҢ

Х А Б А Р Л А Р Ы

ИЗВЕСТИЯ

НАЦИОНАЛЬНОЙ АКАДЕМИИ НАУК
РЕСПУБЛИКИ КАЗАХСТАН

NEWS

OF THE ACADEMY OF SCIENCES
OF THE REPUBLIC OF KAZAKHSTAN

**ХИМИЯ ЖӘНЕ ТЕХНОЛОГИЯ
СЕРИЯСЫ**

◆
СЕРИЯ
ХИМИИ И ТЕХНОЛОГИИ
◆
SERIES
CHEMISTRY AND TECHNOLOGY

2 (428)

**НАУРЫЗ – СӘУІР 2018 ж.
МАРТ – АПРЕЛЬ 2018 г.
MARCH – APRIL 2018**

1947 ЖЫЛДЫҢ ҚАҢТАР АЙЫНАН ШЫҒА БАСТАҒАН
ИЗДАЕТСЯ С ЯНВАРЯ 1947 ГОДА
PUBLISHED SINCE JANUARY 1947

**ЖЫЛЫНА 6 РЕТ ШЫҒАДЫ
ВЫХОДИТ 6 РАЗ В ГОД
PUBLISHED 6 TIMES A YEAR**

АЛМАТЫ, ҚР ҰФА
АЛМАТЫ, НАН РК
ALMATY, NAS RK

NAS RK is pleased to announce that News of NAS RK. Series of chemistry and technologies scientific journal has been accepted for indexing in the Emerging Sources Citation Index, a new edition of Web of Science. Content in this index is under consideration by Clarivate Analytics to be accepted in the Science Citation Index Expanded, the Social Sciences Citation Index, and the Arts & Humanities Citation Index. The quality and depth of content Web of Science offers to researchers, authors, publishers, and institutions sets it apart from other research databases. The inclusion of News of NAS RK. Series of chemistry and technologies in the Emerging Sources Citation Index demonstrates our dedication to providing the most relevant and influential content of chemical sciences to our community.

Қазақстан Республикасы Ұлттық ғылым академиясы "ҚР ҰҒА Хабарлары. Химия және технология сериясы" ғылыми журналының Web of Science-тің жаңаланған нұсқасы Emerging Sources Citation Index-те индекстелуге қабылданғанын хабарлайды. Бұл индекстелу барысында Clarivate Analytics компаниясы журналды одан әрі the Science Citation Index Expanded, the Social Sciences Citation Index және the Arts & Humanities Citation Index-ке қабылдау мәселесін қарастыруды. Web of Science зерттеушілер, авторлар, баспашилар мен мекемелерге контент тереңдігі мен сапасын ұсынады. ҚР ҰҒА Хабарлары. Химия және технология сериясы Emerging Sources Citation Index-ке енүі біздің қоғамдастық үшін ең өзекті және беделді химиялық ғылымдар бойынша контентке адалдығымызды білдіреді.

НАН РК сообщает, что научный журнал «Известия НАН РК. Серия химии и технологий» был принят для индексирования в Emerging Sources Citation Index, обновленной версии Web of Science. Содержание в этом индексировании находится в стадии рассмотрения компанией Clarivate Analytics для дальнейшего принятия журнала в the Science Citation Index Expanded, the Social Sciences Citation Index и the Arts & Humanities Citation Index. Web of Science предлагает качество и глубину контента для исследователей, авторов, издателей и учреждений. Включение Известия НАН РК в Emerging Sources Citation Index демонстрирует нашу приверженность к наиболее актуальному и влиятельному контенту по химическим наукам для нашего сообщества.

Бас редакторы
х.ғ.д., проф., КР ҮФА академигі **М.Ж. Жұрынов**

Редакция алқасы:

Ағабеков В.Е. проф., академик (Белорус)
Волков С.В. проф., академик (Украина)
Воротынцев М.А. проф., академик (Ресей)
Газалиев А.М. проф., академик (Қазақстан)
Ергожин Е.Е. проф., академик (Қазақстан)
Жармағамбетова А.К. проф. (Қазақстан), бас ред. орынбасары
Жоробекова Ш.Ж. проф., академик (Қырғыстан)
Итқұлова Ш.С. проф. (Қазақстан)
Манташян А.А. проф., академик (Армения)
Пралиев К.Д. проф., академик (Қазақстан)
Баешов А.Б. проф., академик (Қазақстан)
Бұркітбаев М.М. проф., академик (Қазақстан)
Джусипбеков У.Ж. проф. корр.-мүшесі (Қазақстан)
Молдахметов М.З. проф., академик (Қазақстан)
Мансуров З.А. проф. (Қазақстан)
Наурызбаев М.К. проф. (Қазақстан)
Рудик В. проф., академик (Молдова)
Рахимов К.Д. проф. академик (Қазақстан)
Стрельцов Е. проф. (Белорус)
Тәшімов Л.Т. проф., академик (Қазақстан)
Тодераш И. проф., академик (Молдова)
Халиков Д.Х. проф., академик (Тәжікстан)
Фарзалиев В. проф., академик (Әзірбайжан)

«КР ҮФА Хабарлары. Химия және технология сериясы».

ISSN 2518-1491 (Online),

ISSN 2224-5286 (Print)

Меншіктенуші: «Қазақстан Республикасының Үлттық ғылым академиясы» Республикалық қоғамдық бірлестігі (Алматы қ.)

Қазақстан республикасының Мәдениет пен ақпарат министрлігінің Ақпарат және мұрағат комитетінде 30.04.2010 ж. берілген №1089-Ж мерзімдік басылым тіркеуіне қойылу туралы куәлік

Мерзімділігі: жылдан 6 рет.

Тиражы: 300 дана.

Редакцияның мекенжайы: 050010, Алматы қ., Шевченко көш., 28, 219 бөл., 220, тел.: 272-13-19, 272-13-18,
www.nauka-nanrk.kz / chemistry-technology.kz

© Қазақстан Республикасының Үлттық ғылым академиясы, 2018

Типографияның мекенжайы: «Аруна» ЖК, Алматы қ., Муратбаева көш., 75.

Г л а в н ы й р е д а к т о р
д.х.н., проф., академик НАН РК **М. Ж. Журинов**

Р е д а к ц и о н на я к о л л е г и я:

Агабеков В.Е. проф., академик (Беларусь)
Волков С.В. проф., академик (Украина)
Воротынцев М.А. проф., академик (Россия)
Газалиев А.М. проф., академик (Казахстан)
Ергожин Е.Е. проф., академик (Казахстан)
Жармагамбетова А.К. проф. (Казахстан), зам. гл. ред.
Жоробекова Ш.Ж. проф., академик (Кыргызстан)
Иткулова Ш.С. проф. (Казахстан)
Манташян А.А. проф., академик (Армения)
Пралиев К.Д. проф., академик (Казахстан)
Баешов А.Б. проф., академик (Казахстан)
Буркитбаев М.М. проф., академик (Казахстан)
Джусипбеков У.Ж. проф. чл.-корр. (Казахстан)
Мулдахметов М.З. проф., академик (Казахстан)
Мансуров З.А. проф. (Казахстан)
Наурызбаев М.К. проф. (Казахстан)
Рудик В. проф., академик (Молдова)
Рахимов К.Д. проф. академик (Казахстан)
Стрельцов Е. проф. (Беларусь)
Ташимов Л.Т. проф., академик (Казахстан)
Тодераш И. проф., академик (Молдова)
Халиков Д.Х. проф., академик (Таджикистан)
Фарзалиев В. проф., академик (Азербайджан)

«Известия НАН РК. Серия химии и технологии».

ISSN 2518-1491 (Online),

ISSN 2224-5286 (Print)

Собственник: Республиканское общественное объединение «Национальная академия наук Республики Казахстан» (г. Алматы)

Свидетельство о постановке на учет периодического печатного издания в Комитете информации и архивов Министерства культуры и информации Республики Казахстан №10893-Ж, выданное 30.04.2010 г.

Периодичность: 6 раз в год

Тираж: 300 экземпляров

Адрес редакции: 050010, г. Алматы, ул. Шевченко, 28, ком. 219, 220, тел. 272-13-19, 272-13-18,
<http://nauka-nanrk.kz> / chemistry-technology.kz

© Национальная академия наук Республики Казахстан, 2018

Адрес редакции: 050100, г. Алматы, ул. Кунаева, 142,
Институт органического катализа и электрохимии им. Д. В. Сокольского,
каб. 310, тел. 291-62-80, факс 291-57-22, e-mail:orgcat@nursat.kz

Адрес типографии: ИП «Аруна», г. Алматы, ул. Муратбаева, 75

NEWS

OF THE NATIONAL ACADEMY OF SCIENCES OF THE REPUBLIC OF KAZAKHSTAN

SERIES CHEMISTRY AND TECHNOLOGY

ISSN 2224-5286

Volume 2, Number 428 (2018), 31 – 35

УДК 661; 669

A.E. Seisenbaev¹, A.M. Ustimov¹, I.O. Aimbetova²¹ M.Auezov South Kazakhstan State University² Akhmet Yassawi International Kazakh-Turkish University
seyesenbaev@bk.ru ustimovu@bk.ru indi_aimbetova@mail.ru**INVESTIGATIONS OF PYROMETALLURGICAL AND ELECTROLYTIC
CLEANING PROCESSES OF BISMUTH CONNECTIONS AND SURVEY
OF NEW TECHNOLOGIES FOR PROCESSING OF VISIBLE DROSSES
RECEIVED AFTER RAINING OF BLACK LEAD WITH MINERAL
WASTE DISPOSAL**

Abstract. The article presents a literature review and possible ways of obtaining high purity bismuth of the Vu000, Vio0000 grades with a combination of pyrometallurgical and electrolytic cleaning schemes using simple equipment that ensures its competitiveness at cost and simplicity of technical solutions. The technology of obtaining bismuth is a unique connection with this, it is not fully disclosed. The results of the study show the high purity of the product obtained, the work on the selection of the electrolyte composition, the preparation of the anodes and the electrolytic refining of bismuth and the processing of the technology regimes are completed.

Key words: bismuth grade Bi000, impurities, electrolysis, refining, waste.

Bismuth is a very rare and rather scattered element. According to various estimates, the average content (clarke) of a given element in the earth's crust is from $9 \cdot 10^{-7}\%$ to $2 \cdot 10^{-5}\%$ by mass, which means that per ton of the material of the earth's crust there are only 0.2 grams of bismuth [1- 3]. By the prevalence in the bowels of our planet, bismuth occupies the seventy-first place. Its less than silver, less than many elements of the rare and scattered - thallium, indium, cadmium. Today, this element is necessary for every country with a highly developed industry. Over the past decades, the demand and the price of this metal have risen sharply, as electronics and nuclear power have added to such traditional consumers of bismuth (primarily high-purity brands) as metallurgy, pharmaceuticals and the chemical industry [4-6].

Currently, the main producers of high purity bismuth are China (up to 70%), Russia, Bolivia, Peru, Mexico, Australia and the USA [7].

In the Republic of Kazakhstan during the Soviet period, the main producers of bismuth metal were lead-zinc and copper-smelting industries, since in the process of processing of basic metals, it was required to clean the bismuth that was present without fail. The ordinary bismuth grades were produced, which were sent mainly to Russia, where the brands of higher purity were produced, mainly by the method of repeated recrystallization, by the vacuum distillation method, the main disadvantages of which were low productivity, the complexity of the process and the use of expensive equipment. It was for these years that the main research was devoted to developing technologies for further purification of bismuth to the highest purification grades. One of the main producers of bismuth in the Republic of Kazakhstan until 2011 was the corporation "Yuzhpolimetall", which produced bismuth of certain brands of high purity. A small amount of bismuth of ordinary grades produces lead-zinc production of the corporation "Kazzinc".

The program for the development of the mining and metallurgical industry provides for an increase in processing of the main types of mined raw materials for obtaining products with high added value and,

ultimately, the creation of metallurgical industries and subsequent redistribution, ensuring the development of high-tech industries and exports. In Kazakhstan, the main source of bismuth production of ordinary grades is lead-copper production, in the technological process of which, redistribution from bismuth to bismuth-containing drosses is envisaged, electrolytically processed to produce bismuth sludge, smelting it to rough bismuth and purging of impurities to B1 grades, Be2, Bu0, and B00. The most pure in content impurities in the process of such redistribution is Bio. Bismuth grades B000, B0000 are obtained by zone recrystallization in an inert gas atmosphere, by a vacuum distillation method. These methods are not characterized by high productivity and do not give a high extraction of bismuth into the final product.

The scientific novelty of the work is to obtain high purity bismuth of the brands Vi000, Vio0000 with a combination of pyrometallurgical and electrolytic cleaning schemes on simple equipment, which ensures its competitiveness at cost and simplicity of technical solutions.

At present, we have preliminary results of studies on the production of Bi000 bismuth with a pyrometallurgical method, including a phased purification from the impurity impurities. The purification regimes, the characteristics of the main equipment have been worked out, which are the novelty of this study. The next step is to obtain Bio0000 by electrolytic refining of B000 in electrolyzers with solid anodes. There are preliminary positive results on the composition of the electrolyte, the preparation of anodes, the electrolytic refining of bismuth, the melting of cathode metal, the nomenclature and the technological strapping of the main equipment. This method completely has a scientific novelty.

The starting materials for the production of bismuth with a content of the main substance 99.999% and 99.9999% (B000 and B0000) can be the ordinary bismuth brands Bio and BvOO, obtained during the electrolytic processing of bismuth dyes from the refining of leaded lead. The technology of pyrometallurgical purification consists of 1) removal of lead impurities, special additives having a close affinity for lead 2) carrying out desulfurization operation - removal of silver, nickel and copper 3) removal of cadmium, thallium and residual lead content 4) qualitative refining - removal of chlorides. This stage allows the above impurities to be removed to the content specified in GOST 10998 for 99.999% purity bismuth (B000). The mode parameters and additives used contain novelty. The technology of the second stage provides for the electrolytic refining of Bi000 bismuth in electrolyzers with solid anodes. The technology is based on the anodic dissolution of Bi000 bismuth and the deposition of dendrites on a portable titanium cathode. The composition of the electrolyte, the regime parameters of the process have scientific novelty. The technology consists of the following stages: 1. Preparation of anodes - melting of Bi000 bismuth, intercalation of the reagent for fine cleaning from the residual quantity of suspended impurities in the form of sulphides, bottling of the anodes in the form of blocks. 2. Preparation of electrolyte 3. Carrying out electrolysis 4. Stripping of cathode metal 5. Washing of dendrites 6. Melting of cathode metal 7. Filling of metal.

The equipment used in the process must be made of inert materials to prevent contamination by impurities of the guest metals - titanium, graphite of special purity. Reagents used for cleaning should have a mark not lower than "hh" / or "och".

There are no analogues of the proposed production in the RK and the CIS countries. The competitiveness of the proposed bismuth production of the brands Vi000, Bio0000 at the cost and simplicity of technical solutions will allow us to compete only with the main producer - China [8-15].

All existing technologies are based on pyro- or hydrometallurgical cleaning methods, which do not allow achieving the required purity. The method of purification of bismuth [16] does not allow to purify from Te and Ag to the required content, the method of vacuum distillation of bismuth [17] allows to significantly reduce the lead content in bismuth, but this method is effective only for pre-purified bismuth and is used only at the finishing stages of bismuth refining and in small volumes. A hydrometallurgical method for processing bismuth-containing materials to produce bismuth powder [18] is known, B000, however, the disadvantages of this method is the complexity of the process, the use of expensive and complex in composition reagents.

The purpose of this article is to show the possibility of organizing an experimental production of bismuth production of the brands Vi000, Vi0000, and attracting investments for the commercialization of

products of the developed technology. The commercial attractiveness of the technology is the steadily increasing demand for high purity bismuth, the scope of which is expanding due to the development of such high-tech industries as the semiconductor industry, the development of nuclear power [19-23]. The cost of high-grade bismuth reaches \$ 100 per kilogram. World production currently amounts to about 10,000 tons per year [24-29]. The proposed production of bismuth in the case of commercialization of the results of the study will yield more than 200 tons per year. The volume of the market is unlimited.

The spectrum of potential consumers of high purity bismuth is extensive [30-34, 25, 10].

1. The pharmaceutical industry has a share that accounts for 45% of world consumption. In Russia and abroad (manufacturers Gist-Brokades (Netherlands), M / S Elder Pharmaceutical Ltd (India), Torrent Pharmaceuticals (India), Yamanouchi Europe (Japan), Laboratories INC (USA))) used compounds made on the basis of high purity bismuth - basic and average nitrates, basic carbonate, salicylate, tartrate, gallate, tribromophenolate, bismuth citrate. These compounds are used as substances in the synthesis of drugs "Vikalin", "Vicair", "Xeroform", "Dermatol", "Bismoverol", "Bijohinol", "De-Nol", "Tribimol", "Telen", Desmol ", " Pilorid ", etc. As modern studies have shown, bismuth compounds have antitumor activity and can be promising for the treatment of HIV, AIDS and AIDS-related diseases.

2. Metallurgical industry - (production of low-melting alloys with lead, tin, cadmium, in the manufacture of molds for precision casting, dies, marking, assembly and control devices, for improving the machinability of aluminum, cast iron and steel alloys in the manufacture of aircraft and motor vehicles)

3. The chemical industry - as a catalyst in the production of synthetic fibers, etc.

4. Nuclear power - bismuth - a liquid coolant and a cooling agent. A small cross section for the capture of thermal neutrons by bismuth and a significant ability to dissolve uranium, together with a significant boiling point and low aggressiveness to structural materials, make it possible to use bismuth in homogeneous nuclear reactors

5. Electronics - an alloy of 88% Bi and 12% Sb in a magnetic field exhibits an anomalous effect of magnetoresistance; of this alloy, high-speed amplifiers and switches are manufactured. tungstate, stannate-vanadate, silicate and bismuth niobate are part of the high-temperature ferroelectric materials, bismuth ferrite BiFeO_3 in the form of thin films is a promising magnetoelectric material. Bismuth is one of the components of lead-free solders, as well as low-melting solders, used for mounting particularly sensitive microwave components.

6. Ceramic industry - fusible enamels, etc.

The enumeration of all industries where it is possible to use high purity bismuth will take a sufficiently large page volume. Bismuth salts are used in areas very far from each other. This, for example, the production of pearlescent lipstick and the production of paints for road signs.

The proposed technology for the production of high purity bismuth of the brands Vi000, Vi0000 will allow the production of high-tech and export-oriented products with a wide range of applications for such industries as metallurgical (in the form of various alloys), pharmaceutical, chemical, nuclear, semiconductor, etc., will contribute in the implementation of the Program for the Development of the Mining and Metallurgical Industry of the Republic of Kazakhstan, will subsequently allow the production of various high-purity commercial products from bismuth that is, products with high added value, the development of Kazakhstan's scientific potential in the production of ultrapure metals, and the reduction of imports of similar products.

We believe that the main social and economic effect of the implementation of this technology can be attributed first and foremost to the transfer of unique knowledge and great practical experience in setting up the production of ultrapure metals of the main technology developers, young scientists, since even in the Soviet era there were a limited number of such specialists.

REFERENCES

- [1] Kuang Z; Lu L; Shen J; Xiang Q. Recycling bismuth from bismuth slag placement smelting lead-bismuth alloy and then carrying out silicon acid system electrolysis, acid leaching anode slurry, filtering, and putting bismuth replacement in the leaching solution. Patent Number: CN102586627-A; CN102586627-B. 2012.

- [2] Fedorov P.I., Dimitrov J.A., Fedorov P.P. Mineral raw materials of rare and dispersed elements and small metals / Methodological instruction. - Moscow: MITHT, **2003**. 107 p.
- [3] Kostov I. Mineralogy. Moscow: Mir. Edition of literature on the question of geological sciences, **1971**. 584 p.
- [4] Cinotti, L. Smith, C.F., Sekimoto H., etc. Lead-cooled system design and challenges in the frame of the Generation IV International Forum. Journal Of Nuclear Materials Vol. 415, Iss. 3, P. 245-253.
- [5] ZHANG S. High-vacuum electric smelting method for chromium, niobium, bismuth and iron alloy. Patent Number: CN102080166-A., **2011**.
- [6] Novoselov II, Shubin Yu.V., Byzov GP, Makarov I.V. Patent - RU No. 2385294 C01G 29/00. A method for producing a powder of bismuth (III) oxide. Application 16.06.**2008**. 15 sec.
- [7] Izatt, S.R., Izatt, N.E., Bruening L. Metal separations of interest to the Chinese metallurgical industry. Journal Of Rare Earths. Vol.28. P.22-29.
- [8] Yan, C.Y. Lee P.S. Bismuth-Catalyzed Growth of Germanium Nanowires in Vapor Phase. Journal of Physical Chemistry C. Vol.113 Iss.6. P.2208-2211.
- [9] Busev A.I. Analytical chemistry of bismuth. Moscow, **1953**. 383 p.
- [10] Liu W; Tang X; Zhang Q; Zheng Y. Preparation of bismuth telluride thermoelectric compound nanopowder involves degassing bismuth trinitrate pentahydrate containing solution in the presence of argon gas, and washing centrifuging product using deionized water and ultrasonic. Patent Number: CN101327916-A. 2009.
- [11] Mischenko K.V. Obtaining of metallic bismuth and its oxides of nanoscale range. Abstracts of the report at the XVII International Scientific and Practical Conference "Modern Technology and Technology". 2s. Section 6. Material Science. S. 195-196.
- [12] Yukhin Yu.M., Mikhailov Yu.I. Chemistry of bismuth compounds and materials. Novosibirsk: SB RAS, **2001**. 360 p.
- [13] Kudra O., Gitman E. Electrolytic production of metallic powders. K.: Publishing house of Acad. Sciences of Ukr. SSR, **1952**. 144 p.
- [14] Wang S; Wang H. Method of extracting indium, zinc and bismuth from ash of blastfurnace gas involves using vacuum distillation to remove impurity and electrolysis to get high-purity indium after rough indium is obtained. Patent Number: CN101078053-A; CN100557045-C. **2008**.
- [15] Cheng J; Chen J; Yu S; Meng Z. Method for preparing bismuth lanthanum ferrites-lead titanate solid solution ceramics under effect of high magnetic field. Patent Number: CN101037338-A; CN100509703-C. **2008**.
- [16] Patent No.: 2281979. Shevtsov Yu.V., Novoselov II, Byzov G.P. Method for obtaining bismuth. It is published on August 20, **2006**.
- [17] Alexandrov BN et al., Preparation of pure bismuth by vacuum distillation and zone melting, Izv. AN SSSR, Metals, **1969**, №6.
- [18] Yukhin Yu.M., Bokhonov BB, Tukhtaev RK, Udalova TA Method for obtaining powdered bismuth (patent of the Russian Federation No. 2225282. Published on 03/10/2004).
- [19] Zhreb V.P. Metastable states in oxide bismuth-containing systems. Monograph, Moscow: MAX Press, **2003**.
- [20] Busev AI, Titstova VG, Ivanov V.M. A Guide to Analytical Chemistry of Rare Elements / 2 nd ed., Pererab. and additional. -Moscow: Chemistry, **1978**. 432 p.
- [21] Ren W; Ren Z; Xu Y; Deng K. Preparation of a nanometer P-type bismuth tellurium base composite thermo-electric material areas adopting bismuth chloride, carrying and stirring. Patent Number: CN101186283-A.
- [22] Hossain S.M., Mukherjee A., Basu S., Pal M. Effect of Ni-Co on the structure and properties of multiferroic BiFeO₃ nanoparticles. Miero and Nano Letters. Volume 8, Issue 7, **2013**, Pages 374-377.
- [23] Gil Novoa, O. D., Landínez Téllez, D.A., Roa-Rojas, J. Synthesis and structural and electrical characterization of new materials Bi₃R2FeTi₃O₁₅ Physica B: Condensed Matter. Volume 407, Issue 16, 15 August, **2012**, Pages 3099-3101.
- [24] Samsonov GV, Abdusalyamova MN, Chernogorenko VB. Bismuthids. Kiev: Naukova Dumka, 1977. - 184 p.
- [25] Logutenko, O.A., Yukhin, Y.M., Evseenko, V.I. Bismuth compounds for medicine: Synthesis of bismuth (III) subgallate trihydrate Proceedings of IFOST-2008 - 3rd International Forum on Strategic Technologies. **2008**, Article number 4602848, Pages 58-60.
- [26] He, Z., Xiao, Z., Xiong, L., Ma, C., Liu, W., Dai, Y. Sulphur deleadization of refined bismuth by vacuum distillation / Journal of Vacuum Science and Technology. Volume 26, Issue 1, February, **2006**, Pages 32-35
- [27] Garmaev BL Gold-telluride and gold-bismuth mineral types of mineralization of the western flank of the Bokson-Gargan metallogenetic zone (Eastern Sayan). The dissertation author's abstract on competition of a scientific degree of the candidate of geologo-mineralogical sciences. Ulan-Ude, **2011**. 26 pp.
- [28] Horvat, J., Guo, Y. C., Dou, S.X. Formation of weak and strong links in Ag / Bi-2223 superconducting tapes. Physica C: Superconductivity and its Applications. Volume 271, Issue 1-2, 1 November, **1996**, Pages 59-66.
- [29] Briand, G.G., Burford, N., Chem. Rev. **1999**. V. 56. P 2601.
- [30] Duan F., Zheng Y., Liv L. et. al. // Materials Letters. **2010**. V. 64. P. 1566.

[31] Xie D; Wu Z; Dai Y. High purity micron bismuth oxide micro powder manufacture for electronic industry synthesis synthesizing sub-bismuth nitrate, carrying out filtering of sub-bismuth nitrate, and heating up of sub-bismuth nitrate. Patent Number: CN101049966-A, **2008**.

[32] Xie D; Lei R; Wu Z; Dai Y. Technology of nanometer stearic acid bismuth by solution dispersion. Patent Number: CN100999459-A; CN100999459-B. **2008**.

[33] Pinard D; Guimont J. Bismuth removal from particulate lead-silver oxides. Patent Number: WO9918248-A; WO9918248-A1. **1999**.

[34] Mevkov, M.A.; Smolkov A.A.; Sedova N.A. Processing bismuth @ -contg. sulphide concentrates by leaching with soln. contg. sulphuric acid and sodium chloride, followed by extn. and re-extn. Patent Number: SU1558016-A1. **1997**.

А.Е. Сейсенбаев¹, А.М. Устимов¹, И.О. Аймбетова²

¹ М.Әуезов атындағы Оңтүстік Қазақстан университеті;

² А.Ясауи атындағы Халықаралық қазақ-түрк университеті

ВИСМУТТЫҢ ҚОСЫЛЫСТАРЫН ПИРОМЕТАЛЛУРГИЯЛЫҚ ЖӘНЕ ЭЛЕКТРОЛИЗ АРҚЫЛЫ ТАЗАЛАУДЫ ЗЕРТТЕУ МЕН МИНЕРАЛДЫ ҚАЛДЫҚТЫ ҮТИЛЬДЕУГЕ ҚОРҒАСЫНЫҢ РАФИНАЦИЯСЫНАН БӨЛІНЕТІН ВИСМУТТІ ДРОССТАРДАН ҚАЙТА ӨНДЕУДІҢ ЖАҢА ТЕХНОЛОГИЯЛАРЫН ЖАСАУ

Аннотация: мақалада Ви000, Ви0000 маркалы висмут алу бойынша әдеби шолу және оны жоғары тазалықта өндіру үшін пирометаллургиялық және электролиттік тазарту схемаларының комбинациясы негізінде техникалық шешімдері оңтайлы мен қарапайым жабдықта бәсекеге қабілеттілігін қамтамасыз ету мақсатында ықтимал әдістері қарастырылады. Висмут алу технологиясы бірегей болғандықтан мақалада толығымен ашылып көрсетілмеген. Зерттеу нәтижелері өнімнің жоғары тазалығын көрсетті, анод пен электролит құрамы анықталды, висмут алушың технологиялық режимдерін айқындалды.

Түйін сөздер: Ви маркалы висмут, қоспа, электролиз, рафинациялау, қалдықтар

А.Е. Сейсенбаев¹, А.М. Устимов¹, И.О. Аймбетова²

¹ Южно-Казахстанский университет имени М.Ауезова;

² Международный казахско-турецкий университет имени А.Ясави

ИССЛЕДОВАНИЯ ПИРОМЕТАЛЛУРГИЧЕСКОЙ И ЭЛЕКТРОЛИТИЧЕСКОЙ СХЕМ ОЧИСТКИ СОЕДИНЕНИЙ ВИСМУТА И ИЗЫСКАНИЕ НОВЫХ ТЕХНОЛОГИЙ ПЕРЕРАБОТКИ ВИСМУТИСТЫХ ДРОССОВ, ПОЛУЧЕННЫХ ПОСЛЕ РАФИНИРОВАНИЯ ЧЕРНОВОГО СВИНЦА С УТИЛИЗАЦИЕЙ МИНЕРАЛЬНОГО ОТХОДА

Аннотация. в статье представлены литературный обзор и возможные способы получения висмута высокой чистоты марок Ви000, Ви0000 с сочетанием пирометаллургической и электролитической схем очистки на простом оборудовании, обеспечивающая ее конкурентоспособность по себестоимости и простоте технических решений. Технология получения висмута является уникальной связи с этим оно не раскрыто полностью. Результаты исследования показывают высокую чистоту получаемого продукта, завершены работы по подбору состава электролита, подготовки анодов и проведению электролитного рафинирования висмута и отработка режимов технологии.

Ключевые слова: висмут марки Ви000, примеси, электролиз, рафинирование, отходы.

МАЗМУНЫ

<i>Аринова Д.Б., Аскаров Е.С., Попов Г.</i> Кулисті типті центрден текпіш – гириационды диірменнің конструкциясын зерттеу және сынау (ағылшын тілінде).....	6
<i>Торский А.О., Волненко А.А., Абжанбаров А.А., Левданский А.Э.</i> Гидродинамика закрученного потока в аппарате циклонно-вихревого действия (ағылшын тілінде).....	18
<i>Жұмаділлаева С.А., Баешов Э.Б., Алтынбекова М.О., Абжалов Б.С.</i> Иониттердің органикалық субстраттармен супрамолекулярлы комплекстере (ағылшын тілінде).....	26
<i>Сейсенбаев А.Е., Устимов А.М., Аймбетова И.О.</i> Висмуттың косылыстарын пирометаллургиялық және электролиз арқылы тазалауды зерттеу мен минералды қалдықты утильдеуге қорғасынның рафинациясынан бөлінетін висмутті дросстардан кайта өңдеудің жаңа технологияларын жасау (ағылшын тілінде)	31
<i>Нұрділлаева Р.Н., Баешов Э.Б., Серік Г.С., Баешова А.Қ.</i> Айнымалы токпен поляризациялау арқылы мыс бромидін алу (ағылшын тілінде).....	36
<i>Тлеуов А.С., Арыстанова С.Д., Лавров Б.А., Шапалов Ш.К., Байысбай О.П., Досбаева А.М., Мадьярова Ж.Ж.</i> Фосфор шламынан фосфорды бөліп алу үшін қолданылатын табиғи алюминосиликатты сорбенттердің физика-химиялық құрамы (ағылшын тілінде).....	44
<i>Үмбетова А.К., Слан Г.О., Омарова А.Т., Бурашева Г.Ш., Абидкулова К.Т.</i> Алматы өңіріндегі <i>Atrapaxis virgata</i> есімдігінің химиялық құрамын зерттеу (ағылшын тілінде).....	52
<i>Шапалов Ш.К., Ходжаев Р.Р., Сулейменов Н.М., Науменова А.С., Хуангтан Н., Рахимберлина А.А., Алтыбаев Ж.М.</i> Көмір шахталарының оқшауланған аймағындағы өрт жағдайының бағасына акпартты қасиеттердің тұтастай әсер етуі (ағылшын тілінде).....	56
* * *	
<i>Аринова Д.Б., Аскаров Е.С., Попов Г.</i> Кулисті типті центрден текпіш – гириационды диірменнің конструкциясын зерттеу және сынау (орыс тілінде).....	61
<i>Торский А.О., Волненко А.А., Абжанбаров А.А., Левданский А.Э.</i> Гидродинамика закрученного потока в аппарате циклонно-вихревого действия (орыс тілінде).....	72
<i>Жұмаділлаева С.А., Баешов Э.Б., Алтынбекова М.О., Абжалов Б.С.</i> Иониттердің органикалық субстраттармен супрамолекулярлы комплекстере (орыс тілінде).....	80
<i>Үмбетова А.К., Слан Г.О., Омарова А.Т., Бурашева Г.Ш., Абидкулова К.Т.</i> Алматы өңіріндегі <i>Atrapaxis virgata</i> есімдігінің химиялық құрамын зерттеу (орыс тілінде).....	85
Мерейтой	
<i>Насиров Рахметолла (70 жасқа толуына орай)</i>	90

СОДЕРЖАНИЕ

<i>Аринова Д.Б., Аскаров Е.С., Попов Г.</i> Исследование и испытание конструкции центробежно-гирационной мельницы кулисного типа (на английском языке).....	6
<i>Торский А.О., Волненко А.А., Абжанбарова А.А., Левданский А.Э.</i> Гидродинамика закрученного потока в аппарате циклонно-вихревого действия (на английском языке).....	18
<i>Джумадуллаева С.А., Баешов А.Б., Алтынбекова М.О., Абжалов Б.С.</i> Супрамолекулярные комплексы ионитов с органическими субстратами (на английском языке).....	26
<i>Сейсенбаев А.Е., Устимов А.М., Аймбетова И.О.</i> Исследования пиromеталлургической и электролитической схем очистки соединений висмута и изыскание новых технологий переработки висмутистых дrossов, полученных после рафинирования чернового свинца с утилизацией минерального отхода (на английском языке)	31
<i>Нурдиллаева Р.Н., Баешов А.Б., Серик Г.С., Баешова А.К.</i> Получение бромида меди при поляризации переменным током (на английском языке).....	36
<i>Тлеуов А.С., Арыстанова С.Д., Лавров Б.А., Шапалов Ш.К., Байысбай О.П., Досбаева А.М., Мадьярова Ж.Ж.</i> Физико-химический состав природных алюминосиликатных сорбентов используемых для извлечения фосфора из фосфорного шлама (на английском языке).....	44
<i>Умбетова А.К., Слан Г.О., Омарова А.Т., Бурашева Г.Ш., Абидкулова К.Т.</i> Исследование химического состава <i>Atrapaxis virgata</i> алматинского региона (на английском языке).....	52
<i>Шапалов Ш.К., Ходжаев Р.Р., Сулейменов Н.М., Науженова А.С., Хуангнан Н., Рахимберлина А.А., Алтыбаев Ж.М.</i> Совокупное влияние информативных признаков на оценку состояния пожарной ситуации в изолированных участках угольных шахт (на английском языке).....	56

* * *

<i>Аринова Д.Б., Аскаров Е.С., Попов Г.</i> Исследование и испытание конструкции центробежно-гирационной мельницы кулисного типа (на русском языке)	61
<i>Торский А.О., Волненко А.А., Абжанбарова А.А., Левданский А.Э.</i> Гидродинамика закрученного потока в аппарате циклонно-вихревого действия (на русском языке).....	72
<i>Джумадуллаева С.А., Баешов А.Б., Алтынбекова М.О., Абжалов Б.С.</i> Супрамолекулярные комплексы ионитов с органическими субстратами (на русском языке).....	80
<i>Умбетова А.К., Слан Г.О., Омарова А.Т., Бурашева Г.Ш., Абидкулова К.Т.</i> Исследование химического состава <i>Atrapaxis virgata</i> алматинского региона (на русском языке).....	85

Юбилейные даты

<i>Насиров Рахметолла (к 70-Летию со дня рождения)</i>	90
--	----

CONTENTS

<i>Arinova D.B., Askarov E.S., Popov G.</i> Investigation and design testing of the centrifugal gyratory mill of a coulisse type (in English).....	6
<i>Torskiy A.O., Volnenko A.A., Abzhabarov A.A., Levdanskiy A.E.</i> Hydrodynamics of a swirling flow in the cyclone-vortex apparatus (in English).....	18
<i>Dzhumadullayeva S.A., Bayeshov A.B., Altynbekova M.O., Abzhalov B.S.</i> Supramolecular complexes of ionites with organic substrates (in English).....	26
<i>Seisenbaev A.E., Ustimov A.M., Aimbetova I.O.</i> Investigations of pyrometallurgical and electrolytic cleaning processes of bismuth connections and survey of new technologies for processing of visible drosses received after raining of black lead with mineral waste disposal (in English).....	31
<i>Nurdillayeva R.N., Bayeshov A.B., Serik G.S., Bayeshova A.K.</i> Production of copper bromide at polarization by an alternating current (in English).....	36
<i>Tleuov A.S., Arystanova S.D., Lavrov B.A., Shapalov Sh. K., Baiysbay O.P., Dosbayeva A.M., Madyarova Zh.Zh.</i> The physico-chemical composition of the natural aluminosilicate sorbents used for the phosphorus extraction from phosphoric slime (in English).....	44
<i>Umbetova A.K., Slan G.O., Omarova A.T., Burasheva G.Sh., Abidkulova K. T.</i> The study of chemical composition of <i>Atraphaxis virgata</i> from the almaty region (in English)	52
<i>Shapalov Sh.K., Khodzhayev R.R., Suleimenov N.M., Naukenova A.S., Khuangan N., Rakhimberlin A.A., Altybaev Zh. M.</i> Cumulative influence of informative features on the assessment of the condition of the fire situation in the sealed areas of coal mines (in English)	56

* * *

<i>Arinova D.B., Askarov E.S., Popov G.</i> Investigation and design testing of the centrifugal gyratory mill of a coulisse type (in Russian)	61
<i>Torskiy A.O., Volnenko A.A., Abzhabarov A.A., Levdanskiy A.E.</i> Hydrodynamics of a swirling flow in the cyclone-vortex apparatus (in Russian).....	72
<i>Dzhumadullayeva S.A., Bayeshov A.B., Altynbekova M.O., Abzhalov B.S.</i> Supramolecular complexes of ionites with organic substrates (in Russian).....	80
<i>Umbetova A.K., Slan G.O., Omarova A.T., Burasheva G.Sh., Abidkulova K. T.</i> The study of chemical composition of <i>Atraphaxis virgata</i> from the almaty region (in English) (in Russian).....	85

Anniversary date

Nasirov Rahmetolla (to the 70 anniversary from the birthday).....	90
---	----

**Publication Ethics and Publication Malpractice
in the journals of the National Academy of Sciences of the Republic of Kazakhstan**

For information on Ethics in publishing and Ethical guidelines for journal publication see <http://www.elsevier.com/publishingethics> and <http://www.elsevier.com/journal-authors/ethics>.

Submission of an article to the National Academy of Sciences of the Republic of Kazakhstan implies that the described work has not been published previously (except in the form of an abstract or as part of a published lecture or academic thesis or as an electronic preprint, see <http://www.elsevier.com/postingpolicy>), that it is not under consideration for publication elsewhere, that its publication is approved by all authors and tacitly or explicitly by the responsible authorities where the work was carried out, and that, if accepted, it will not be published elsewhere in the same form, in English or in any other language, including electronically without the written consent of the copyright-holder. In particular, translations into English of papers already published in another language are not accepted.

No other forms of scientific misconduct are allowed, such as plagiarism, falsification, fraudulent data, incorrect interpretation of other works, incorrect citations, etc. The National Academy of Sciences of the Republic of Kazakhstan follows the Code of Conduct of the Committee on Publication Ethics (COPE), and follows the COPE Flowcharts for Resolving Cases of Suspected Misconduct (http://publicationethics.org/files/u2/New_Code.pdf). To verify originality, your article may be checked by the Cross Check originality detection service <http://www.elsevier.com/editors/plagdetect>.

The authors are obliged to participate in peer review process and be ready to provide corrections, clarifications, retractions and apologies when needed. All authors of a paper should have significantly contributed to the research.

The reviewers should provide objective judgments and should point out relevant published works which are not yet cited. Reviewed articles should be treated confidentially. The reviewers will be chosen in such a way that there is no conflict of interests with respect to the research, the authors and/or the research funders.

The editors have complete responsibility and authority to reject or accept a paper, and they will only accept a paper when reasonably certain. They will preserve anonymity of reviewers and promote publication of corrections, clarifications, retractions and apologies when needed. The acceptance of a paper automatically implies the copyright transfer to the National Academy of Sciences of the Republic of Kazakhstan.

The Editorial Board of the National Academy of Sciences of the Republic of Kazakhstan will monitor and safeguard publishing ethics.

Правила оформления статьи для публикации
в журнале смотреть на сайте:

www.nauka-nanrk.kz

<http://www.chemistry-technology.kz/index.php/ru/>

ISSN 2518-1491 (Online), ISSN 2224-5286 (Print)

Редакторы: *М. С. Ахметова, Т. А. Апендиев, Аленов Д.С.*
Верстка на компьютере *А.М. Кульгинбаевой*

Подписано в печать 13.04.2018.
Формат 60x881/8. Бумага офсетная. Печать – ризограф.
7,8 п.л. Тираж 300. Заказ 2.

Национальная академия наук РК
050010, Алматы, ул. Шевченко, 28, т. 272-13-18, 272-13-19